







Stick to the speed limit with the **Adjustable Speed Limiter**. Set a maximum speed, and the system ensures you don't exceed it. Need to overtake a slow vehicle? Override the system by pressing the accelerator to the floor.

If your **RANGER** detects a possible collision, the **Collision Warning Alert** lets out a chime, flashes a heads-up display on the windscreen, and preloads the brakes for enhanced stopping power.

Lane-Departure Warning alerts you by vibrating the steering wheel if you unintentionally move out of the lane. If you don't react, the Lane-Keeping Aid applies steering torque to get you back on track.

 $\label{thm:constraints} \mbox{Vehicle shown with accessories. Features differ per derivative. See specification sheets.}$









Note: Features differ per derivative. See specification sheets. Navigation standard on all XLT and Wildtrak derivatives commencing April 2017 production. All derivatives built prior to April 2017 production will not have Navigation.



between seven ambient lighting colours that automatically switch on at night.



Features differ per derivative. See specification sheets.



Note: Features differ per derivative. See specification sheets. Navigation standard on all XLT and Wildtrak derivatives commencing April 2017 production. All derivatives built prior to April 2017 production will not have Navigation.

and more responsive than ever before.

6

SYNC®3 is a fully integrated, voice-activation system that lets you use your favourite devices while your hands stay on the wheel and your eyes stay on the road. Sync your phone to call your friends and play your favourite music, and stay on track with the integrated satellite Navigation system. Equipped with a customisable 8" colour LCD capacitive Touchscreen; SYNC®3 is quicker

Features differ per derivative. See specification sheets.







BIG POWER, SMALL APPETITE.

The heart of the new **RANGER**'s superior durability and strength just got an upgrade. The **RANGER**'s diesel engines deliver more than just big power numbers – they're more fuel-efficient than ever. So you can spend more time on the move, and less time at the fuel pump.

2.2L TDCi

An economical mid-power 2.2L TDCi engine is available in certain **RANGER** models, producing 88kW and 285Nm. Combined with the addition of Electric Power-Assisted Steering (EPAS) and the use of a longer final drive ratio, the 2.2L Duratorq TDCi engine achieves up to 22 percent improvement in fuel consumption.

2 500kg max. towing capability 88kW power 285Nm torque

2.2L TDCi

With more power, greater torque and improved fuel-efficiency, the **RANGER**'s upgraded four-cylinder 2.2L TDCi diesel engine pumps out the extra power you need to conquer any task.

3 500kg max. towing capability 118kW power 385Nm torque

3.2L TDCi

The new **RANGER**'s five-cylinder 3.2L TDCi diesel engine delivers the power and torque numbers you've come to expect from a **RANGER**, with improved fuel efficiency over the previous year's model.

3 500kg max. towing capability 147kW power 470Nm torque

Payload and towing figures will vary according to specific derivative. See specification sheets.

Payload and towing figures will vary according to specific derivative. See specification sheets.

MAKE IT YOURS.

Complementing the **RANGER**'s stylish design, and satisfying your personal taste, is a range of attractive colours.





*Metallic body colours are options at extra cost.

Note: The images are used to illustrate body colours only, and may not reflect the vehicle described. Colours and trims reproduced within this brochure may vary from the actual colours, due to the limitations of the printing processes used.

Wheels





17" Steel wheels



16" Alloy wheels



Also available in Black as an option on





FORD CREDIT

As part of the Ford family, Ford CREDIT can offer a number of unique finance options to make owning a new or used vehicle affordable and simple. For more information regarding Ford CREDIT, speak to your Ford Dealer or go to www.ford.co.za/buying/ford-credit/home.



FORD PROTECT

Genuine parts. Genuine service.

Enjoy years of trouble-free motoring and preserve the value of your new Ford by fitting only genuine Ford parts and accessories. Servicing your new Ford at a Ford Dealer will also protect you and your vehicle warranty.



Business and Commercial Fleet Customers.

The Ford portfolio of products is growing rapidly to meet your business needs.

Please contact your local Ford Dealer for more information or visit our website at www.ford.co.za/fleet or alternatively email us at fleetsa@ford.com.

Ford **PROTECT**

Ford **PROTECT** offers a holistic suite of service, maintenance, warranty and roadside-assistance products aimed at keeping your new **RANGER** in perfect working condition.

New Vehicle Warranty – Every new RANGER comes with a 4-yr/120 000km Comprehensive Warranty.

Service Plan¹ – Every new RANGER comes standard with a 6-yr/90 000km Service Plan, which covers all scheduled servicing except friction materials, i.e. brake pads and wiper blades.

Corrosion Warranty - Cover lasts for 5-yr/unlimited km.

Roadside Assistance – Cover lasts for 3-yr/unlimited km for mechanical, electrical, flat tyres, batteries, medical emergencies and towing, if needed, to the nearest Ford dealership.

New Vehicle Extended Warranty — An Extended Warranty may be purchased prior to the expiry of the 4-yr/120 000km New Vehicle Warranty. You have many coverage, time and kilometre choices, ranging from 7 years to 300 000km from the date of sale.

Consult the vehicle handbook, www.ford.co.za or your nearest Ford Dealer for more information regarding Ford PROTECT plans and products.

All new **RANGER** derivatives purchased after 1 April 2018 will have service intervals as 12 months/15 000km, whichever comes first. **RANGER** derivatives purchased prior will have service intervals of 12 months/ 20 000km, whichever comes first.

The declared fuel consumption and CO₂ emissions figures were achieved during technical laboratory testing in accordance with the legislated technical specifications (SANS 20101: 2006/ECE R101: 2005 as last amended) and validated and approved by the UK Vehicle Certification Authority (VCA). Fuel consumption and CO₂ emissions figures are used to compare different vehicle types under uniform conditions, and are not necessarily indicative of real-life driving conditions. Note that the actual fuel consumption and emissions levels will depend on many factors and are directly affected by the length of the journey; number of passengers and the amount of luggage carried; individual driving style; road conditions; weather conditions; vehicle age, mileage, condition and standard of maintenance; use of vehicle features such as air conditioning; and any modifications to the vehicle. Your fuel economy will vary based on these and other factors and, for these reasons, many drivers may not achieve the EU fuel economy figures in day-to-day driving, although the vehicle is technically capable of doing so.



Quality

We design and build your Ford to feel as good after many years of service as it did the day you picked it up. And to drive just as beautifully too.



Green

Using advanced Ford technology, we're committed to creating vehicles with improved fuel economy, reduced CO₂ emissions and a lower overall cost of ownership.



Safe

Ford's Intelligent Protection System uses sophisticated technology designed to help prevent an accident and, if one should happen, to protect you.



Smart

Vehicles with smart intuitive technologies designed to connect your world, and many clever solutions from Ford that make life a little easier.

Ford reserves the right, subject to all applicable laws, to discontinue or change features and other specifications either temporarily or permanently, which will be communicated to the Ford Dealer Network. Printed September 2018







RANGER Fx4





RANGER Fx4

Package Includes:

17" Black Alloy wheels

Bedliner – black

Bonnet, side and tailgate decals

Exterior door handles painted black

Painted black radiator and fender grilles

Fx4 side decals

Black roof rails

Black plastic side steps

Black exterior mirror caps

Fx4 black tubular sports bar

Steel step rear bumper – painted black

Black tailgate handle

Black foglamp bezel

17" Black Alloy wheels

Fx4 Double Cab available on all XLT Double Cab derivatives.

Colours are representative only.

 $\label{thm:linear_point} \mbox{Visit your Ford Dealer for actual paint/trim\ options.}$

Ford Motor Company reserves the right to change product specifications at any time without incurring obligations.

EXTERIOR CHOICES:

Frozen White

Moondust Silver

Sea Grey

Panther Black



Printed in South Africa. Published by Ford Motor Company. $\ensuremath{\mathbb{Q}}$ 2017 Ford Motor Company.



	2.2TDCi 4X2 Low Rider	2.2TDCi 4X2 XL Hi-Rider	2.2TDCi 4X2 XL Hi-Rider	2.2TDCi 4X4 XL Hi-Rider	2.2TDCi 4X4 XLS Hi-Rider	
ngine						
ower: kW @ rpm	88 @ 3700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	
orque: Nm @ rpm	285 @ 1500 - 2300	385@1500-2500	385 @ 1500 - 2500	385@1500-2500	385 @ 1500 - 2500	
ransmission						
/pe	5-speed manual	6-speed manual	6-speed automatic	6-speed manual	6-speed automatic	
teering ectric Power-Assisted Steering (EPAS)		Std	Std	Std	Std	
Uspension		Stu	Stu	Stu	Stu	
ectronic Locking Rear Differential		Std	Std	Std	Std	
/heels						
x7.0" Steel wheels	Std	Std	Std	Std	Std	
x7.0" Alloy wheels		Opt	Opt	Opt	-	
x7.0" Steel spare wheel	Std	Std	Std	Std	Std	
afety and Security						
iver and front-passenger airbag	Std	Std	Std	Std	Std	
ear-view parking camera	-	-	-	-	Std	
arking distance sensors: rear	-	-	-	-	Std	
olumetric burglar alarm system	-	Std	Std	Std	Std	
ower Tailgate Lock#		-	-	-	Std	
ehicle Capabilities						
ectronic Stability Programme (ESP)	-	Std	Std	Std	Std	
3S with Electronic Brakeforce Distribution (EBD)	Std	Std	Std	Std	Std	
Il Descent Control		-	-	Std	Std	
Il Launch Assist	-	Std	Std	Std	Std	
ollover Mitigation daptive Load Control	-	Std Std	Std Std	Std Std	Std Std	
ailer Sway Control	-	Std	Std	Std	Std	
action Control		Std	Std	Std	Std	
ectronic Shift-On-The-Fly (ESOF)	-	-	- -	Std	Std	
omfort and Convenience				510	5.0	
anual airconditioning	Opt	Std	Std	Std	Std	
adio with 2 speakers, Aux input	Std	-	-	-	-	
adio with 2 speakers, Bluetooth®, USB port, Aux input, MP3	-	Std	Std	Std	-	
ord SYNC® with 4 speakers, CD, USB port, Aux input, MP3,					Std	
uetooth [®] , 4.2-inch colour TFT screen						
uto on/off headlamps	-	-	-	-	Opt ²	
anual front headlamp levelling	-	Std	Std	Std	Std	
aytime running lamps	-	Std	Std	Std	Std	
V power point: front console	Std	Std	Std	Std	Std	
ench seat: 60:40	Std					
eparate bucket seats	Stu	Std	- Std	Std		
spoke leather steering wheel with multifunctional buttons		- Stu	-	- Stu	Std	
uise control	_	-		_	Std	
V power point: front console	_	-		_	Std	
ucket seats	-	-	-	-	Std	
way manual driver-seat adjuster with lumbar adjustment	-	_	-	-	Std	
ectrochromatic rear-view mirror	-	-	-	-	Opt ²	
xterior						
ner tie-downs	Std	Std	Std	Std	Std	
iter tie-downs (along sides)	Std	Std	Std	Std	Std	
in-sensing wipers	-	-	-	-	Opt ²	
ed rear window	Std	Std	Std	Std	Std	
wer front windows: one-touch up & down on driver's side		Std	Std	Std	Std	
vith anti-pinch)						
wbar		Std	Std	Std	Std	
mensions & Weights	1500	2500	2500	2500	2	
ving mass (kg): braked	1500	2 500	3 500	3500	3 500	
el tank capacity (l)	80 3 200	80 3.200	80 3.200	80 3.700	80 3.200	
ss vehicle mass (kg) ss combination mass (kg)	3 200 4 425	3 200 5 000	3 200 6 000	3 200 6 000	3 200 6 000	
e mass (kg)	1890	1802	1962	1827	1954	
rload (kg): without 65kg passenger weight & 80l fuel weight	1165	1253	1093	1228	1101	
erall length (mm)	5 354	5 354	5 354	5 354	5 354	
erall height (mm)	1703	1806	1806	1806	1806	
erall width (mm): excluding outer mirror	1860	1860	1860	1860	1860	
neelbase	3 220	3 220	3 220	3 220	3 220	
rgo-floor length (mm)	2 317	2 317	2 317	2 317	2 317	
S						
rgo-floor width (mm)	1560	1560	1560	1560	1560	
	1560 1139	1560 1139	1560	1 560 1 139	1139	
urgo-floor width (mm) urgo width (mm): between wheel arches urgo depth (mm)						





	2.2TDCi 4X2 Hi-Rider	2.2TDCi 4X2 XL Hi-Rider	Supel 2.2TDCi 4X2 XL Hi-Rider	2.2TDCi 4X4 XL Hi-Rider	2.2TDCi 4X4 XLS Hi-Rider	3.2TDCi 4X4 XLT Hi-Rider
Engine Power: kW @ rpm	88@3700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	147 @ 3 000
Torque: Nm @ rpm	285@1500-2300	385@1500-2500	385 @ 1500 – 2500	385@1500-2500	385@1500-2500	470 @ 1500 – 2750
Transmission Type	5-speed manual	6-speed manual	6-speed automatic	6-speed manual	6-speed automatic	6-speed automatic
Steering Electric Power-Assisted Steering (EPAS)	-	Std	Std	Std	Std	Std
Suspension	-	Stu	Stu	Stu	Stu	Stu
Open Rear Differential Electronic Locking Rear Differential	Std -	- Std	- Std	- Std	- Std	- Std
Wheels						
16x7.0" Steel wheels 16x7.0" Allov wheels	Std -	Std Opt	Std Opt	Std Opt	- Std	-
17x8" Alloy wheels	-	-	-	-	-	Std
16x7.0" Steel spare wheel 17x7.5" Steel spare wheel	Std -	Std -	Std -	Std -	Std -	- Std
Safety and Security	511	611	611	61.1	61.1	
Driver and front-passenger airbag Curtain and side airbags (thorax only)	Std -	Std -	Std -	Std -	Std Std	Std Std
Inflatable knee airbag	-	-	-	-	-	Std
Remote control entry with 2-stage unlocking and flip key Parking distance sensors: front ¹	-	Std -	Std -	Std -	Std -	Std Std
Parking distance sensors: rear	-	-	-	-	Std	Std
Rear-view parking camera Volumetric burglar alarm system	-	Std	Std	- Std	- Std	Std Std
Power Tailgate Lock#	-		-	-	Std	Std
Vehicle Capabilities Electronic Stability Programme (ESP)		Std	Std	Std	Std	Std
ABS with Electronic Brakeforce Distribution (EBD)	Std	Std	Std	Std	Std	Std
Hill Descent Control Hill Launch Assist	-	Std	- Std	Std Std	Std Std	Std Std
Rollover Mitigation	-	Std	Std	Std	Std	Std
Adaptive Load Control Trailer Sway Control	-	Std Std	Std Std	Std Std	Std Std	Std Std
Traction Control	-	Std	Std	Std	Std	Std
Electronic Shift-On-The-Fly (ESOF) Comfort and Convenience	-	-		Std	Std	Std
Manual airconditioning	Opt	Std	Std	Std	Std	-
Dual Electronic Air-Temperature Control (DEATC) Cruise control	-	-	-	-	- Std	Std Std
Radio with 2 speakers, Aux input	Std	-	-	-	-	-
Radio with 4 speakers, Bluetooth®, USB port, Aux input, MP3 Ford SYNC® with 6 speakers, CD, USB port, Aux input, MP3, Bluetooth®,	-	Std	Std	Std	- Std	-
4.2-inch colour TFT screen Ford SYNC® 3 with 6 speakers, CD, 2 USB ports, MP3, Bluetooth®,					Stu	51.1
8-inch colour TFT screen, two 4.2-inch TFT screens* and Navigation** 12V power point: front console	- Std	Std	- Std	- Std	- Std	Std Std
12V power point: Front Console 12V power point: rear console	- -	Std	Std	Std	Std	Std
Cooled centre console box Interior		-		-	-	Std
Leather seats [®]	-	-	-	-	-	Std
4-way manual driver-seat adjuster with lumbar adjustment 4-spoke leather steering wheel with multifunctional buttons	-	-	-	-	Std Std	Std Std
Electrochromatic rear-view mirror	-	-	-	-	Opt ²	Std
Rear box storage Exterior	Std	Std	Std	Std	Std	Std
Daytime running lamps	-	Std	Std	Std	Std	Std
Manual front headlamps levelling Halogen projector headlamps: headlights off when ignition off	- Std	Std Std	Std Std	Std Std	Std Std	Std Std
Auto on/off headlamps	-	-	-	-	Opt ²	Std
High-mounted brake light with loadbox lighting Inner tie-downs	- Std	Std	- Std	- Std	Std Std	Std Std
Outer tie-downs (along sides)	Std	Std	Std	Std	Std	-
Fixed rear window Rear bumper: steel, chromed	Std -	Std -	Std -	Std -	Std -	Std Std
Plastic side steps	-	-	-	-	Std	-
Plastic side step with inserts Rain-sensing wipers	-	-	-	-	- Opt ²	Std Std
Power front windows: one-touch up and down on driver's side	-	Std	Std	Std	Std	Std
(with anti-pinch) Towbar	-	Std	Std	Std	Std	Std
Bedliner Dimensions and Weights		-			-	Opt
Fowing mass (kg): braked	2 500	2 500	3 500	3 500	3500	3 500
Fuel tank capacity (l) Gross vehicle mass (kg)	80 2 925	80 3200	80 3 200	80 3 200	80 3 200	80 3200
Gross combination mass (kg)	4800	5 000	6 000	6 000	6 000	6 000
Fare mass (kg) Payload (kg): without 65kg passenger weight and 80l fuel weight	1 480 1 300	1758 1297	1830 1225	1 <i>7</i> 16 1 <i>3</i> 39	1553 1502	1857 1198
Overall length (mm)	5 354	5 354	5 354	5 354	5 354	5 3 5 4
Overall height (mm) Overall width (mm): excluding outer mirror	1 810 1 860	1 810 1 860	1 810 1 860	1 810 1 860	1 810 1 860	1 810 1 860
Wheelbase	3 220	3 220	3 220	3 220	3 220	3 220
Cargo-floor length (mm) Cargo-floor width (mm)	1847 1560	1847 1560	1847 1560	1847 1560	1847 1560	1847 1560
Cargo width (mm): between wheel arches	1139	1139	1139	1139	1139	1139
Cargo depth (mm) Ground clearance (mm): fully loaded	511 237	511 237	511 237	511 237	511 237	511 237
Wading depth (mm)	800	800	800	800	800	800

 $\label{eq:All items marked with O^2 are grouped together as part of the XLS Pack, and must be selected together.$

Ford **PROTECT Service Plan** – Covers all scheduled servicing, except friction materials, i.e. brake pads and wiper blades.

Consult the vehicle handbook, www.ford.co.za or your nearest Ford Dealer for more information regarding Ford PROTECT plans and products. Printed September 2018.




^{**}Navigation standard on all XLT and Wildtrak derivatives commencing on April 2017 production. All derivatives built prior to April 2017 production will not have Navigation.

*Leather seats are a combination of leather and high-quality, durable materials. Front parking distance sensors are standard on all XLT derivatives from November 2017 onwards.

*Power Tailgate Lock is standard on all XLS, XLT and Wildtrak derivatives from April 2018 production. Vehicles built prior will not have Power Tailgate Locking.



		Double Cab						
	2.2TDCi 4X2 Hi-Rider	2.2TDCi 4X2 XL Hi-Rider	2.2TDCi 4X2 XL Hi-Rider	2.2TDCi 4X4 XL Hi-Rider	2.2TDCi 4X4 XL Hi-Rider	2.2TDCi 4X4 XL-Plus Hi-Rider	2.2TDCi 4X4 XLS Hi-Rider	
Engine Power: kW @ rpm Torque: Nm @ rpm	88 @ 3 700 285 @ 1500 – 2 300	118 @ 3 700 385 @ 1 500 – 2 500	118 @ 3 700 385 @ 1 500 – 2 500	118 @ 3 700 385 @ 1 500 – 2 500	118 @ 3 700 385 @ 1 500 – 2 500	110 @ 3 700 375 @ 1 500 – 2 500	118 @ 3 700 385 @ 1 500 – 2 500	
Transmission	203@1300-2300	303@1300-2300	363@1360-2360	363 @1300 - 2300	303@1300-2300	3/3 @ 1300 - 2300	303@1300-2300	
Type	5-speed manual	6-speed manual	6-speed automatic	6-speed manual	6-speed automatic	6-speed manual	6-speed automatic	
Steering Electric Power-Assisted Steering (EPAS)	-	Std	Std	Std	Std		Std	
Suspension								
Open Rear Differential Electronic Locking Rear Differential	Std -	- Std	- Std	- Std	- Std	- Std	- Std	
Wheels		Sta	Stu	Stu	Stu	Stu	Sta	
16x7.0" Steel wheels	Std	Std	Std	Std	Std	-	-	
16x7.0" Alloy wheels 17x7.5" Steel wheels	-	Opt -	Opt -	Opt -	Opt -	Std	Std -	
16x7.0" Steel spare wheel	Std	Std	Std	Std	Std	-	Std	
17x7.5" Steel spare wheel Safety & Security					-	Std	•	
Driver and front-passenger airbag	Std	Std	Std	Std	Std	Std	Std	
Passenger airbag: disable functionality	-	-	-	-	-	-	Std	
Side airbags (thorax only) Curtain airbags	-	-	-	-	-	Std Std	Std Std	
Parking distance sensors: rear	-	-	-	-	-	-	Std	
Rear-view parking camera Childproof door locks	- Std	- Std	- Std	- Std	- Std	- Std	Std Std	
Two outboard 3-point + one centre 2-point (ECE) rear seatbelts	Std	-	-	-	-	-	-	
Two outboard 3-point seatbelts and one centre 3-point rear seatbelt	-	Std	Std	Std	Std	Std	Std	
ISOFIX mounting points in rear seats Power Tailgate Lock*		Std -	Std -	Std -	Std -	Std -	Std Std	
Vehicle Capabilities								
Electronic Stability Programme (ESP) ABS with Electronic Brakeforce Distribution (EBD)	- Std	Std Std	Std Std	Std Std	Std Std	Std Std	Std Std	
Hill Descent Control	- -	- stu		Std	Std	Std	Std	
Hill Launch Assist	-	Std	Std	Std	Std	Std	Std	
Rollover Mitigation Adaptive Load Control	-	Std Std	Std Std	Std Std	Std Std	Std Std	Std Std	
Trailer Sway Control	-	Std	Std	Std	Std	Std	Std	
Traction Control	-	Std	Std	Std	Std	Std	Std	
Electronic Shift-On-The-Fly (ESOF) Special Equipment Pack: Heavy Duty	-	-	-	Std	Std	Std	Std	
- Panel to mount customer switches								
- Crew chief bracket & wiring - Seat covers	-	-	-	-	-	Std	-	
- 17x7.5" Steel wheels - Second battery								
- Expanded wiring harness with connections for customer devices								
Comfort & Convenience Manual airconditioning	Std	Std	Std	Std	Std	Std	Std	
Cruise control with adjustable speed limiter	-	-	-	-	-	-	Std	
Radio with 2 speakers, Aux input	Std	-	-	-	-	-	-	
Radio with 4 speakers, Bluetooth®, USB port, Aux input, MP3 Radio with 4 speakers, CD, USB port, Aux input, MP3	-	Std -	Std -	Std -	Std -	Std	-	
Ford SYNC® with 6 speakers, CD, USB port, Aux input, MP3, Bluetooth®,	-	-	-	-	-	Opt	Std	
4.2-inch colour TFT screen 12V power point: front console	Std	Std	Std	Std	Std	Std	Std	
12V power point: rear console	-	Std	Std	Std	Std	Std	Std	
Interior 4-spoke leather steering wheel with multifunctional buttons						-	Std	
Electrochromatic rear-view mirror	-	-	-	-	-	-	Opt ²	
A-pillar assist handles: driver & passenger sides	Std	Std	Std	Std	Std	Std	Std	
Dome interior lighting with theatre dimming & illuminated entry 4-way manual driver-seat adjuster with lumbar adjustment	Std -	Std -	Std -	Std -	Std -	Std Std	Std Std	
Rear underseat storage	Std	Std	Std	Std	Std	Std	Std	
Exterior Auto on/off headlamps	-		_	_	-	_	Opt ²	
Daytime running lamps	-	Std	Std	Std	Std	Std	Std	
Rain-sensing wipers	-	-	-	-	-	-	Opt ² Std	
Plastic side steps Heavy-duty mudflaps: front		-	-		-	Std Std	-	
Heavy-duty mudflaps: rear		-	-	-	-	Std		
Inner tie-downs Outer tie-downs	Std Std	Std Std	Std Std	Std Std	Std Std	Std -	Std Std	
High-mounted brake light with loadbox lighting	-	-	-	-	-	-	Std	
Towbar Heavy-duty battery	-	Std	Std -	Std -	Std	Std Std	Std -	
Dimensions & Weights						Sta		
Towing mass (kg): braked	2 500	2500	3 500	3500	3 500	3500	3 500	
Fuel tank capacity (I) Gross vehicle mass (kg)	80 3 200	80 3 200	80 3 200	80 3200	80 3200	80 3 200	80 3 200	
Gross combination mass (kg)	4 800	5 000	6 000	6 000	6 000	6 000	6 000	
Tare mass (kg) Payload (kg): without 65kg passenger weight & 80l fuel weight	1 875 1 180	2 026 1 029	2 056 999	2 006 1 049	2 024 1 031	1 940 1 115	2 024 1 031	
Overall length (mm)	5 354	5 354	5 354	5 354	5 354	5 354	5 354	
Overall width (mm): including outer mirror	1851	1851	1851	1851	1851	1851	1851	
Overall width (mm): including outer mirror Overall width (mm): excluding outer mirror	2 163 1 860	2 163 1 860	2 163 1 860	2 163 1 860	2 163 1 860	2 163 1 860	2 163 1 860	
Wheelbase	3 220	3 220	3 220	3 2 2 0	3 220	3 220	3 220	
Cargo-floor length (mm) Cargo-floor width (mm)	1549 1560	1549 1560	1549 1560	1549 1560	1549 1560	1549 1560	1549 1560	
Cargo width (mm): between wheel arches	1139	1139	1139	1139	1139	1139	1139	
Cargo depth (mm)	511	511	511	511	511	511	511	
Ground clearance (mm): fully loaded Wading depth (mm)	237 800	237 800	237 800	237 800	237 800	237 800	237 800	
• , ,								



All items marked with O^2 are grouped together as part of the XLS Pack, and must be selected together.

*Power Tailgate Lock is standard on all XLS, XLT and Wildtrak derivatives from April 2018 production. Vehicles built prior will not have Power Tailgate Locking.





	Double Cab						
	2.2TDCi 4X2 XLT Hi-Rider	2.2TDCi 4X2 XLT Hi-Rider	3.2TDCi 4X2 XLT Hi-Rider	3.2TDCi 4X2 XLT Hi-Rider	3.2TDCi 4X4 XLT Hi-Rider	3.2TDCi 4X2 Wildtrak Hi-Rider	3.2TDCi 4X4 Wildtrak Hi-Rider
Engine Power: kW @ rpm Torque: Nm @ rpm	118 @ 3 700 385 @ 1 500 – 2 500	118 @ 3 700 385 @ 1 500 – 2 500	147 @ 3 000 470 @ 1 500 – 2 750	147 @ 3 000 470 @ 1 500 – 2 750	147 @ 3 000 470 @ 1 500 – 2 750	147 @ 3 000 470 @ 1 500 – 2 750	147 @ 3 000 470 @ 1 500 – 2 750
Transmission Type	6-speed manual	6-speed automatic	6-speed manual	6-speed automatic	6-speed automatic	6-speed automatic	6-speed automatic
Steering							
Electric Power-Assisted Steering (EPAS) Suspension	Std						
Electronic Locking Rear Differential	Std						
Wheels & Tyres 17x8" Alloy wheels	Std	Std	Std	Std	Std	-	-
18x8" Alloy wheels 17x7.5" Steel spare wheel	- Std	- Std	- Std	- Std	- Std	Std	Std
18x8" Alloy spare wheel	-	-	-	-	-	Std	Std
Tyre Pressure Monitoring System (TPMS) Safety & Security						Std	Std
Driver airbag	Std						
Front-passenger airbag Passenger airbag: disable functionality	Std Std						
Side airbags (thorax only)	Std						
Curtain airbags Inflatable knee airbag	Std Std						
Rear-view parking camera	Std						
Lane-Keeping System includes: - Lane-Keeping Aid						Ct-1	Ct-1
- Lane-Departure Warning - Driver alert system	-	-	-	-	-	Std	Std
Parking distance sensors: rear	Std						
Parking distance sensors: front ¹ Childproof door locks	Std Std						
ISOFIX mounting points in rear seats	Std						
Power Tailgate Lock* Vehicle Capabilities	Std						
Electronic Stability Programme (ESP)	Std						
ABS with Electronic Brakeforce Distribution (EBD) Hill Descent Control	Std -	Std -	Std -	Std -	Std Std	Std -	Std Std
Hill Launch Assist	Std						
Rollover Mitigation Adaptive Load Control	Std Std						
Trailer Sway Control	Std	Std	Std	Std	Std Std	Std Std	Std Std
Traction Control Electronic Shift-On-The-Fly (ESOF)	Std -	Std -	Std -	Std -	Std	Stu -	Std
Comfort & Convenience Dual Electronic Air-Temperature Control (DEATC)	Std						
Cruise control	Std	Std	Std	Std	Std	-	-
Adaptive cruise control includes: - Heads-up display - Forward alert - Collision mitigation	-	-	-	-	-	Std	Std
 Distance alert Ford SYNC®3 with 6 speakers, CD, 2 USB ports, MP3, Bluetooth®, 							
8-inch colour TFT screen, two 4.2-inch TFT screens* & Navigation**	Std						
12V power point: front & rear console	Std						
12V power point: loadbox 230V/150W power converter	-	-	-	-	-	Std Std	Std Std
Interior 4-spoke leather steering wheel with multifunctional buttons	Std						
Seat material: Wildtrak orange with leather trim	-	-	-	-	-	Std	Std
Leather seats [®] Electrochromatic rear-view mirror	Std Std	Std Std	Std Std	Std Std	Std Std	- Std	- Std
4-way manual driver-seat adjuster with lumbar adjustment	Std	Std	Std	Std	Std	-	-
8-way power driver-seat adjuster with lumbar adjustment Ambient mood lighting: seven colours	-	-	-	-	-	Std Std	Std Std
Wildtrak front & rear carpet mats	-	-	-	-	-	Std	Std
Cooled centre console box Rear underseat storage	Std Std						
Exterior Auto on/off headlamps	Std						
Rain-sensing wipers	Std						
Daytime running lamps Plastic side step with bright inserts	Std Std						
Exterior mirrors: power-adjustable, power fold, heated, puddle light,	-	-	-	-	-	Std	Std
turn indicator Hoop sports bar with box illumination & brake light		-	_		-	Std	Std
Roof rails	- Std	- Std	- Std	- Std	- Std	Std	Std
High-mounted brake light with loadbox lighting Towbar	Std						
Inner tie-downs Spray-in bedliner	Std Opt	Std	Std Opt	Std Opt	Std Opt	Std	Std
RANGER Fx4	Opt	Opt Opt	Opt	Opt	Opt	-	-
Dimensions & Weights Towing mass (kg): braked	3500	3500	2 500	3500	3500	3500	3 500
Fuel tank capacity (I)	80	80	80	80	80	80	80
Gross vehicle mass (kg) Gross combination mass (kg)	3 200 6 000	3 200 6 000	3 200 5 000	3 200 6 000	3 200 6 000	3 200 6 000	3 200 6 000
Tare mass (kg)	2 026	2 056	1989	1775	1887	1775	1900
Payload (kg): without 65kg passenger weight & 80l fuel weight Overall length (mm)	1 029 5 354	999 5354	1066 5354	1 280 5 354	1168 5354	1280 5354	1155 5 354
Overall height (mm)	1851	1 851	1851	1 851	1851	1851	1851
Overall width (mm): including outer mirror Overall width (mm): excluding outer mirror	2 163 1 860	2163 1 860	2 163 1 860	2 163 1 860	2 163 1 860	2 163 1 860	2 163 1 860
Wheelbase	3 220	3 220	3 220	3 220	3 220	3 220	3 220
Cargo-floor length (mm) Cargo-floor width (mm)	1549 1560						
Cargo width (mm): between wheel arches Cargo depth (mm)	1 139 511	1139 511					
Ground clearance (mm): fully loaded	237	237	237	237	237	237	237
Wading depth (mm)	800	800	800	800	800	800	800

^{**}Navigation standard on all XLT and Wildtrak derivatives commencing April 2017 production. All derivatives built prior to April 2017 production will not have Navigation.

©Leather seats are a combination of leather and high-quality, durable materials. "Front parking distance sensors are standard on all XLT derivatives from November 2017 onwards.

*Power Tailgate Lock is standard on all XLS, XLT and Wildtrak derivatives from April 2018 production. Vehicles built prior will not have Power Tailgate Locking.

Ford PROTECT Service Plan – Covers all scheduled servicing, except friction materials, i.e. brake pads and wiper blades.

Consult the vehicle handbook, www.ford.co.za or your nearest Ford Dealer for more information regarding Ford PROTECT plans and products. Printed September 2018.

