









Active Park Assist with Parallel Parking²

Not everyone loves to parallel park. But what if we designed a truck that not only helps you find the right size parking space, but also automatically steers itself in for a perfect park? The new **RANGER** offers semi-auto Active Park Assist to make city driving even easier.



Smart Keyless Entry and Push-Start Button³

Get in and out without taking your keys out of your pocket, coat, or bag. When the intelligent access system detects your key, you can get going at the push of a button.



Rear-view Camera⁴

Bollards, bicycles, low walls — the rear-view camera shows what's behind you on a screen built into the centre console. As well as revealing objects, you might miss, the system displays virtual lines to help you park into the smallest of spaces. The camera activates automatically when you select reverse gear.



Adaptive Cruise Control⁵

Forget having to turn your cruise control on and off as traffic conditions change. If traffic slows down in front of you, Adaptive Cruise Control can automatically slow down to maintain a preset distance. Once traffic clears, it returns to your cruising speed.

¹Pre-collision Assist with pedestrian detection available on Wildtrak derivatives only. ²Active Park Assist with parallel parking available on Wildtrak derivatives only. ³Smart keyless entry and push-start button available on XLT, and Wildtrak derivatives only.

⁴Rear-view camera available on XLS, XLT, and Wildtrak derivatives only. ⁵Adaptive Cruise Control available on Wildtrak derivatives only. See specification sheets.








230V/150W Power Converter*

All new **RANGER** features a 230V/150W power inverter in the back of the centre console, powering your electrical equipment wherever the job finds you.

*230V/150W power converter is available on Wildtrak derivatives only.

FORM MEETS FUNCTION





EASY LIFT TAILGATE*

You've got enough heavy lifting to do. Load your new **RANGER** with greater ease, thanks to the tailgate with lift assistance that now requires 70% less effort to close.

LANE-DEPARTURE WARNING*

By monitoring road markings, it detects if you appear to unintentionally move out of your lane. If you do, your steering wheel will vibrate to warn you. If lane-departure warning continues it will also direct you back into your lane by applying steering torque, unless your indicator is on.

8





LOADBOX LIGHTING*

A light installed in the back of the new **RANGER** pick-up gives you all the light you need to get on with the job, no matter what time of the day or night.

TYRE PRESSURE MONITORING SYSTEM*

When your tyre pressure isn't right it can compromise safety and fuel economy. The Tyre Pressure Monitoring System (TPMS) alerts you when one or more of your tyres has lost pressure.

^{*}Loadbox lighting available on XLS, XLT, and Wildtrak derivatives only.

^{*}Tyre Pressure Monitoring System available on Wildtrak derivatives only.











Towing capacity

With up to 3 500kg* towing capacity, you can confidently take on the biggest jobs. Trailer Sway Control® provides stability and greater control when towing a trailer.

*Towing capacity figures will vary according to specific derivative. See specification sheets. *Only available on Ford **APPROVED** towbar.

*Electronic locking rear differential not available on Base derivatives.

Take back control on steep inclines and loose surfaces

the best possible control over challenging and uneven

terrains where it can be difficult to keep both rear wheels

with electronic locking rear differential. This helps you gain

Electronic Diff Lock

on the ground.

Hill Descent Control*

The new **RANGER** 4x4's Hill Descent Control is designed to automatically apply braking, as needed, to slow the vehicle to a set speed in off-road downhill conditions. Speed can be adjusted through the accelerator and the cruise control buttons.

*Hill Descent Control available on 4x4 derivatives only.

Electronic Shift-on-the-Fly 4x4*

Choose 4x2 for regular driving, 4x4 High Range for poor road surfaces and dirt tracks and 4x4 Low Range for exceptionally challenging terrain. Using Electronic Shift-on-the-Fly you can also switch between 4x2 and 4x4 High Range, whilst on the move.

*Electronic Shift-on-the-Fly available on 4x4 derivatives only.

NEW IMPROVED DIESEL ENGINES.

BIG POWER, SMALL APPETITES.

The heart of the new **RANGER's** superior durability and strength just got an upgrade. The new **RANGER's** diesel engines deliver more than just big power numbers – they're more fuel-efficient than ever. So you can spend more time on the move and less time at the fuel pump.

BI-TURBO DIESEL

157kW / 500Nm

4-Cylinder Diesel Engine

The innovative Bi-Turbo diesel engine's two turbos work sequentially to deliver huge power and torque, combined with a state-of-the-art 10-speed auto transmission.



SINGLE-TURBO

132kW / 420Nm

4-Cylinder Diesel Engine

Not only does the Single-Turbo diesel engine deliver strong performance lower down the rev range, the 10-speed automatic transmission also helps improve fuel efficiency.

3.2L TDCI

147kW / 470Nm

5-Cylinder Diesel Engine

The tried, tested and trusty workhorse that has capably delivered seamless torque to thousands of **RANGER's.**

2.2L TDCI

118kW / 385Nm

4-Cylinder Diesel Engine

The economic choice, this engine will provide thrifty service for years.

Computer-generated image. Features differ per derivative. See specification sheets.

MAKE IT YOURS.

Complementing the new **RANGER**'s stylish design, and satisfying your personal taste, is a range of attractive colours.

Colours - RANGER







Colorado Red



Moondust Silver



Sea Grey (Metallic*)



Copper Red (Metallic*)



Diffused Silver



Absolute Black (Metallic*)

Colours - WILDTRAK



Moondust Silver





Sea Grey (Metallic*)





Absolute Black

Saber (Metallic*)

*Metallic body colours are options at extra cost.

Note: The images are used to illustrate body colours only, and may not reflect the vehicle described. Colours and trims reproduced within this brochure may vary from the actual colours, due to the limitations of the printing processes used.

Wheels



16" Steel wheel



16" Alloy wheel also available as an option on XL derivatives, at an additional cost.



17" Alloy wheel available in Silver, and Black as an option on XLS, and XLT derivatives, at an additional cost, Also available in Black only as an option on XL.



18" Allov wheel available on Wildtrak only.



FORD **CREDIT**

As part of the Ford family, Ford CREDIT can offer a number of unique finance options to make owning a new or used vehicle affordable and simple. For more information regarding Ford CREDIT, speak to your Ford Dealer or go to www.ford.co.za/buying/ford-credit/home.



FORD PROTECT

Genuine parts. Genuine service.

Enjoy years of trouble-free motoring and preserve the value of your new Ford by fitting only genuine Ford parts and accessories. Servicing your new Ford at a Ford Dealer will also protect you and your vehicle warranty.



Business and Commercial Fleet Customers.

The Ford portfolio of products is growing rapidly to meet your business needs.

Please contact your local Ford Dealer for more information or visit our website at www.ford.co.za/fleet or alternatively email us at fleetsa@ford.com.

Ford **PROTECT**

Ford **PROTECT** offers a holistic suite of service, maintenance, warranty and roadside-assistance products aimed at keeping your new **RANGER** in perfect working condition.

New Vehicle Warranty - Every new RANGER comes with a 4-yr/120 000km Comprehensive Warranty.

Service Plan¹ – Every new RANGER comes standard with a 6-yr/90 000km Service Plan, which covers all scheduled servicing except friction materials, i.e. brake pads and wiper blades.

Corrosion Warranty – Cover lasts for 5-yr/unlimited km.

Roadside Assistance – Cover lasts for 3-yr/unlimited km for mechanical, electrical, flat tyres, batteries, medical emergencies and towing, if needed, to the nearest Ford dealership.

New Vehicle Extended Warranty – An Extended Warranty may be purchased prior to the expiry of the 4-yr/120 000km New Vehicle Warranty. You have many coverage, time and kilometre choices, ranging from 7 years to 200 000km from the date of sale.

 $Consult the vehicle handbook, www.ford.co.za \ or your \ nearest Ford \ Dealer \ for \ more \ information \ regarding \ Ford \ \textbf{PROTECT} \ plans \ and \ products.$

All new **RANGER** derivatives purchased after 1 April 2018 will have service intervals as 12 months/15 000km, whichever comes first. **RANGER** derivatives purchased prior will have service intervals of 12 months/20 000km, whichever comes first.

The declared fuel consumption and CO₂ emissions figures were achieved during technical laboratory testing in accordance with the legislated technical specifications (SANS 20101: 2006/ECE R101: 2005 as last amended) and validated and approved by the UK Vehicle Certification Authority (VCA). Fuel consumption and CO₂ emissions figures are used to compare different vehicle types under uniform conditions, and are not necessarily indicative of real-life driving conditions. Note that the actual fuel consumption and emissions levels will depend on many factors and are directly affected by the length of the journey; number of passengers and the amount of luggage carried; individual driving style; road conditions; weather conditions; vehicle age, mileage, condition and standard of maintenance; use of vehicle features such as air conditioning; and any modifications to the vehicle. Your fuel economy will vary based on these and other factors and, for these reasons, many drivers may not achieve the EU fuel economy figures in day-to-day driving, although the vehicle is technically capable of doing so.



Quality

We design and build your Ford to feel as good after many years of service as it did the day you picked it up. And to drive just as beautifully too.



Green

Using advanced Ford technology, we're committed to creating vehicles with improved fuel economy, reduced CO_2 emissions and a lower overall cost of ownership.



Safe

Ford's Intelligent Protection System uses sophisticated technology designed to help prevent an accident and, if one should happen, to protect you.



Smart

Vehicles with smart intuitive technologies designed to connect your world, and many clever solutions from Ford that make life a little easier.

Ford reserves the right, subject to all applicable laws, to discontinue or change features and other specifications either temporarily or permanently, which will be communicated to the Ford Dealer Network. Printed March 2019.







				SINGL	_E CAB			
	2.2 TDCi 4x2 Base Low-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x4 XLS Hi-Rider
Engine								
Power: kW @ rpm	88 @ 3700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	147 @ 3 000	147 @ 3 000
Torque: Nm @ rpm	285 @ 1500 - 2300	385 @ 1500 – 2500	385 @ 1500 - 2500	385@1500-2500	385 @ 1500 - 2500	385 @ 1500 - 2500	470 @ 1500 - 2750	470 @ 1500 – 2750
Transmission								
Туре	5-speed Manual	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic
Electronic locking rear differential	-	Std	Std	Std	Std	Std	Std	Std
Electronic Shift-on-the-Fly (ESOF)	-	-	-	Std	Std	-	-	Std
Vehicle Capabilities								
Electronic Stability Programme (ESP)	-	Std	Std	Std	Std	Std	Std	Std
Hill Descent Control	-	-	-	Std	Std	-	-	Std
Hill Launch Assist	-	Std	Std	Std	Std	Std	Std	Std
Rollover Mitigation	-	Std	Std	Std	Std	Std	Std	Std
Adaptive Load Control	-	Std	Std	Std	Std	Std	Std	Std
Trailer Sway Control	-	Std	Std	Std	Std	Std	Std	Std
Traction control	-	Std	Std	Std	Std	Std	Std	Std
Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD)	Std	Std	Std	Std	Std	Std	Std	Std
Exterior								
Tailgate lock	Manual	Power	Power	Power	Power	Power	Power	Power
Inner tie-downs	Std	Std	Std	Std	Std	Std	Std	Std
Outer tie-downs (along sides)	Std	Std	Std	Std	Std	Std	Std	Std
Rain-sensing wipers	-	-	-	-	Std	Std	Std	Std
Power windows with driver one-touch up/down function (with anti-pinch)	-	Std	Std	Std	Std	Std	Std	Std
Exterior mirrors – power-adjustable, manual fold	-	Std	Std	Std	Std	Std	Std	Std
Exterior Lighting								
Auto-on/off headlamps	-	-	-	-	Std	Std	Std	Std
Front fog lamps	-	-	-	-	Std	Std	Std	Std
Rear fog lamp	-	-	-	-	Std	Std	Std	Std
Interior								
Manual air conditioning	Std	Std	Std	Std	Std	Std	Std	Std
Radio with 2 speakers, Bluetooth®, USB	Std	Std	Std	Std	-	-	-	-
Ford SYNC® with 4 speakers, CD, USB, Aux, MP3, Bluetooth®, 4.2 colour TFT screen	-	Opt	Opt	Opt	Std	Std	Std	Std
Cruise control	-	-	-	-	Std	Std	Std	Std
12V power point plug – front console	Std	Std	Std	Std	Std	Std	Std	Std
Sun visor – driver with ticket holder & passenger with vanity mirror	-	Std	Std	Std	Std	Std	Std	Std
Electrochromatic rear-view mirror	-	-	-	-	Std	Std	Std	Std
Vinyl floor covering	Opt	-	-	-	-	-	-	-
Seats								
Bench seat – 60:40	Opt	-	-	-	-	-	-	-
2 separate bucket seats – driver & passenger	Opt	Std	Std	Std	Std	Std	Std	Std
2-way manually adjustable (driver bucket seat)	Std	Std	Std	Std	-	-	-	-
Driver's seat – 4-way manually adjustable with lumbar support adjustment	-	-	-	-	Std	Std	Std	Std
Seat material – fabric	Std	Std	Std	Std	Std	Std	Std	Std



	SINGLE CAB									
	2.2 TDCi 4x2 Base Low-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x4 XLS Hi-Rider		
Safety & Security										
Power door locks (central locking/unlocking)	Std	Std	Std	Std	Std	Std	Std	Std		
Remote control entry with 2-stage unlocking and flip key	-	Std	Std	Std	Std	Std	Std	Std		
Driver & passenger airbag	Std	Std	Std	Std	Std	Std	Std	Std		
Belt-minder	Driver	Driver	Driver	Driver	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger		
Rear parking distance sensors	-	-	-	-	Std	Std	Std	Std		
Rear-view parking camera	-	-	-	-	Std	Std	Std	Std		
Volumetric burglar alarm system	-	Std	Std	Std	Std	Std	Std	Std		
Mechanical										
Wheels & Tyres										
16x7" Steel wheel	Std	Std	Std	Std	-	-	-	-		
16x7" Alloy wheel	-	Opt	Opt	Opt	Std	Std	Std	Std		
17x8" Alloy wheel	-	-	-	-	Opt	Opt	Opt	Opt		
17x8" Cast Alloy wheel – Panther Black	_	-	-	-	Opt	Opt	Opt	Opt		
Towing										
Towbar	-	Std	Std	Std	Std	Std	Std	Std		
Dimensions & Weights										
Towing mass (braked) (kg)	1500	3 500	3 500	3 500	3 500	3 500	3 500	3 500		
Fuel tank capacity (L)	80	80	80	80	80	80	80	80		
Gross Vehicle Mass (GVM) (kg)	2 925	3 200	3 200	3 200	3 200	3 200	3 200	3 200		
Gross Combination Mass (GCM) (kg)	4 425	6 000	6 000	6 000	6 000	6 000	6 000	6 000		
Tare mass (kg)	1728	1939	1920	2 019	2 041	1924	1924	2 045		
Payload (kg) [passenger weight (65kg) and fuel weight (80L) removed]	1052	1116	1135	1036	1 014	1131	1131	1 010		
Overall length (mm)	5 354	5 354	5 354	5 354	5 354	5 354	5 354	5 354		
Overall height (mm)	1703	1806	1806	1806	1806	1806	1806	1806		
Overall width (excl. outer mirror)	1860	1860	1860	1860	1860	1860	1860	1860		
Wheelbase	3 220	3 220	3 220	3 220	3 220	3 220	3 220	3220		
Cargo floor length (mm)	2 317	2 317	2 317	2 317	2 317	2 317	2 317	2 317		
Cargo floor width (mm)	1560	1560	1560	1560	1560	1560	1560	1560		
Cargo width (mm) (between wheel arches)	1139	1139	1139	1139	1 139	1139	1139	1139		
Cargo depth (mm)	511	511	511	511	511	511	511	511		
Ground clearance (mm) (fully loaded)	135	237	237	237	237	237	237	237		
Wading depth (mm)	600	800	800	800	800	800	800	800		



					SUPER CAB				
	2.2 TDCi 4x2 Base Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	3.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x4 XLS Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider
Engine	Dase III Maci	ALTH HOCK	ALTII KIGCI	ALTH Maci	XLS III Klaci	XLDTII KIGGI	ALD TH THUCH	ALOTH RIGHT	ALI III RIGGI
Power: kW @ rpm	88 @ 3700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	147 @ 3 000	147 @ 3 000	147 @ 3 000
	285 @ 1500 -	385@1500-	385 @ 1500 -	385@1500-	385 @1500 -	385 @ 1500 -	470 @ 1500 –	470 @ 1500 -	470 @ 1500 -
Torque: Nm @ rpm	2300	2500	2500	2 500	2500	2500	2750	2750	2750
Transmission									
Type	5-speed Manual	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic
Electronic locking rear differential	-	Std	Std	Std	Std	Std	Std	Std	Std
Electronic Shift-on-the-Fly (ESOF)	-	-	Std	-	-	Std	-	Std	Std
Vehicle Capabilities									
Electronic Stability Programme (ESP)	-	Std	Std	Std	Std	Std	Std	Std	Std
Hill Descent Control	-	-	Std	-	-	Std	-	Std	Std
Hill Launch Assist	-	Std	Std	Std	Std	Std	Std	Std	Std
Rollover Mitigation	-	Std	Std	Std	Std	Std	Std	Std	Std
Adaptive Load Control	-	Std	Std	Std	Std	Std	Std	Std	Std
Trailer Sway Control	-	Std	Std	Std	Std	Std	Std	Std	Std
Traction Control	-	Std	Std	Std	Std	Std	Std	Std	Std
ESP brake system Anti-lock Braking System (ABS) with	-	Std	Std	Std	Std	Std	Std	Std	Std
Electronic Brakeforce Distribution (EBD)	Std	Std	Std	Std	Std	Std	Std	Std	Std
Exterior									
Exterior Trim									
Plastic side steps	-	-	-	-	Std	Std	Std	Std	Std
Tailgate lock	Manual	Manual	Manual	Manual	Power	Power	Power	Power	Power
Tailgate with lift assistance	-	-	-	-	-	-	-	-	Std
Inner tie-downs	Std	Std	Std	Std	Std	Std	Std	Std	Std
Outer tie-downs (along sides)	Std	Std	Std	Std	Std	Std	Std	Std	-
Rain-sensing wipers	-	-	-	-	Std	Std	Std	Std	Std
Front power windows with driver one-touch up/down (with anti-pinch)	-	Std	Std	Std	Std	Std	Std	Std	Std
Exterior mirrors – power-adjustable, manual fold	-	Std	Std	Std	Std	Std	Std	Std	-
Exterior mirrors – power-adjustable, power-fold, turn indicator	-	-	-	-	-	-	-	-	Std
Exterior Lighting									
Auto-on/off headlamps	-	-	-	-	Std	Std	Std	Std	Std
Daytime running lamps	-	Std	Std	Std	Std	Std	Std	Std	Std
High-mounted brake lamp with loadbox lighting	-	-	-	-	Std	Std	Std	Std	Std
Interior	G. I	GL I	G. I	G. 1	G. I	G. I	G. I	G. J	
Manual air conditioning	Std	Std	Std	Std	Std	Std	Std	Std	-
Dual-zone Electronic Automatic Temperature Control (DEATC)	-	-	-	-	-	-	-	-	Std
Radio with 2 speakers, Bluetooth®, USB	Std				-				-
Radio with 4 speakers, Bluetooth®, USB	-	Std	Std	Std	-	-	-	-	-
Ford SYNC® with 6 speakers, CD, USB, Aux, MP3, Bluetooth®, 4.2 colour TFT screen	-	Opt	Opt	Opt	Std	Std	Std	Std	-
Ford SYNC® 3 with 6 speakers, CD, 2x USB ports, MP3, Bluetooth®, 8" colour TFT screen & 2x 4.2" TFT screens in cluster & Navigation	-	-	-	-	-	-	-	-	Std
4-spoke leather steering wheel with multifunctional buttons	-	-			- 1	-	-		Std
Cruise control	-	-	-	-	Std	Std	Std	Std	Std
12V power point plug – front console	Std	Std	Std	Std	Std	Std	Std	Std	Std
12V power point plug – rear console	-	Std	Std	Std	Std	Std	Std	Std	Std
Cooled centre console	-	-	-	-	-	-	-	-	Std
Sun visor – driver with ticket holder and passenger with vanity mirror	-	Std	Std	Std	Std	Std	Std	Std	-
Sun visor – driver & passenger with ticket holder & illuminated vanity mirror, sliding rod		-		-	-	-	-	-	Std
Electrochromatic rear-view mirror	-	-	-	-	Std	Std	Std	Std	Std



					SUPER CAB				
	2.2 TDCi 4x2 Base Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	3.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x4 XLS Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider
Interior (cont.)									
Seats									
2-way manually adjustable (driver bucket seat)	Std	Std	Std	Std	-	-	-	-	-
Driver's seat – 4-way manually adjustable with lumbar support adjustment	-	-	-	-	Std	Std	Std	Std	Std
Seat material – fabric	Std	Std	Std	Std	Std	Std	Std	Std	-
Seat material – leather*	-	-	-	-	-	-	-	-	Std
Rear floor storage	Std	Std	Std	Std	Std	Std	Std	Std	Std
Safety & Security									
Power door locks (central locking/unlocking)	Std	Std	Std	Std	Std	Std	Std	Std	Std
Keyless entry & push-start button	-	-	-	-	-	-	-	-	Std
Driver & passenger airbag	Std	Std	Std	Std	Std	Std	Std	Std	Std
Side airbags (thorax only)	-	-	-	-	Std	Std	Std	Std	Std
Curtain airbags	-	-	-	-	Std	Std	Std	Std	Std
Inflatable knee airbag	-	-	-	-	-	-	-	-	Std
Belt-minder	Driver	Driver	Driver	Driver	Driver & Passenger				
Rear parking distance sensors	-	-	-	-	Std	Std	Std	Std	Std
Front parking distance sensors	-	-	-	-	-	-	-	-	Std
Rear-view parking camera	-	-	-	-	Std	Std	Std	Std	Std
Volumetric burglar alarm system	-	Std	Std	Std	Std	Std	Std	Std	Std
Mechanical									
Wheels & Tyres									
16x7" Steel wheel	Std	Std	Std	Std	-	-	-	-	-
16x7" Alloy wheel	-	Opt	Opt	Opt	Std	Std	Std	Std	-
17x8" Alloy wheel	-	-	-	-	Opt	Opt	Opt	Opt	Std
17x8" Cast Alloy wheel – Panther Black	-	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt
Steering									
Electric Power-Assisted Steering (EPAS)	-	Std	Std	Std	Std	Std	Std	Std	Std
Towbar	-	Std	Std	Std	Std	Std	Std	Std	Std
Dimensions & Weights									
Towing mass (braked) (kg)	1500	3 500	3 500	3 500	3 500	3 500	3 500	3500	3 500
Fuel tank capacity (L)	80	80	80	80	80	80	80	80	80
Gross Vehicle Mass (GVM) (kg)	3 025	3200	3 200	3200	3 200	3200	3200	3200	3200
Gross Combination Mass (GCM) (kg)	4 525	6 000	6 000	6 0 0 0	6 000	6 0 0 0	6 000	6 000	6 000
Tare mass (kg)	1835	1984	2 062	1962	1984	2105	1924	1856	2 200
Payload (kg) [passenger weight (65kg) and fuel weight (80L) removed]	1045	1 071	993	1093	1071	950	1131	1199	855
Overall length (mm)	5 354	5 354	5 354	5 354	5 354	5 354	5 354	5 354	5 354
Overall height (mm)	1810	1 810	1810	1810	1810	1810	1810	1810	1810
Overall width (excl. outer mirror)	1860	1860	1860	1860	1860	1860	1860	1860	1860
Wheelbase	3 220	3 220	3 220	3 2 2 0	3 220	3 220	3 220	3 220	3 220
Cargo floor length (mm)	1847	1847	1847	1847	1847	1847	1847	1847	1847
Cargo floor width (mm)	1560	1560	1560	1560	1560	1560	1560	1560	1560
Cargo width (mm) (between wheel arches)	1139	1139	1139	1139	1139	1139	1139	1139	1139
Cargo depth (mm)	511	511	511	511	511	511	511	511	511
Ground clearance (mm) (fully loaded)	237	237	237	237	237	237	237	237	237
Wading depth (mm)	800	800	800	800	800	800	800	800	800

 $[\]hbox{*Leather seats are a combination of leather and high-quality, durable materials.}$

	DOUBLE CAB									
	2.2 TDCi 4x2 Base Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider			
Engine										
Power: kW @ rpm	88 @ 3700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700			
Torque: Nm @ rpm	285 @ 1500 - 2 300	385@1500-2500	385 @ 1500 - 2500	385@1500-2500	385 @ 1500 - 2500	385@1500-2500	385 @ 1500 - 2500			
Transmission										
Туре	5-speed Manual	6-speed Automatic	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic	6-speed Manual			
Electronic locking rear differential	-	Std	Std	Std	Std	Std	Std			
Electronic Shift-on-the-Fly (ESOF)	-	-	Std	-	Std	Std	-			
Vehicle Capabilities										
Electronic Stability Programme (ESP)	-	Std	Std	Std	Std	Std	Std			
Hill Descent Control	_	-	Std	_	Std	Std	-			
Hill Launch Assist	-	Std	Std	Std	Std	Std	Std			
Rollover Mitigation	-	Std	Std	Std	Std	Std	Std			
Adaptive Load Control	-	Std	Std	Std	Std	Std	Std			
Trailer Sway Control	-	Std	Std	Std	Std	Std	Std			
Traction control	-	Std	Std	Std	Std	Std	Std			
ESP brake system	_	Std	Std	Std	Std	Std	Std			
Anti-lock Braking System (ABS) with Electronic										
Brakeforce Distribution (EBD)	Std	Std	Std	Std	Std	Std	Std			
Exterior										
Side steps	-	-	-	-	-	Std	Std			
Tailgate lock	Manual	Manual	Manual	Manual	Manual	Power	Power			
Inner tie-downs	Std	Std	Std	Std	Std	Std	Std			
Outer tie-downs (along sides)	Std	Std	Std	Std	Std	Std	Std			
Spray-in bedliner	Opt	Opt	Opt	Opt	Opt	Opt	Opt			
Rain-sensing wipers	-	-	-	-	-	Std	Std			
Front power and rear windows with driver one-touch up/down function (with anti-pinch)	-	Std	Std	Std	Std	Std	Std			
Exterior mirrors – manually adjustable	Std	-	-	-	-	-	-			
Exterior mirrors – power-adjustable, manual fold	-	Std	Std	Std	Std	Std	Std			
Auto-on/off headlamps	-	Opt	Opt	Opt	Opt	Std	Std			
Front fog lamps	-	-	-	-	-	Std	Std			
Manual front headlamp levelling	-	Std	Std	Std	Std	Std	Std			
Daytime running lamps	-	Std	Std	Std	Std	Std	Std			
Rear fog lamp	-	-	-	-	-	Std	Std			
Interior										
Manual air conditioning	Std	Std	Std	Std	Std	Std	Std			
Radio with 2 speakers, Bluetooth®, USB	Std	-	-	-	-	-	-			
Radio with 4 speakers, Bluetooth®, USB	-	Std	Std	Std	Std	-	-			
Ford SYNC® with 6 speakers, CD, USB, Aux, MP3, Bluetooth®, 4.2 colour TFT screen	-	Opt	Opt	Opt	Opt	Std	Std			
Cruise control	-	-	-	-	-	Std	Std			
12V power point plug – front console	Std	Std	Std	Std	Std	Std	Std			
12V power point plug – rear console	-	Std	Std	Std	Std	Std	Std			
Sun visor – driver with ticket holder and passenger with vanity mirror	-	Std	Std	Std	Std	Std	Std			
Electrochromatic rear-view mirror	-	-	-	-	-	Std	Std			
Seats										
2 separate bucket seats – driver and passenger	Std	Std	Std	Std	Std	Std	Std			
2-way manually adjustable (driver bucket seat)	Std	Std	Std	Std	Std	-	-			
Driver's seat – 4-way manually adjustable with lumbar support adjustment	-	-	-	-	-	Std	Std			
Seat material – fabric	Std	Std	Std	Std	Std	Std	Std			



				DOUBLE CAB			
	2.2 TDCi 4x2 Base Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider
Safety & Security							
Childproof rear door locks	Std	Std	Std	Std	Std	Std	Std
ISOFIX seats	Std	Std	Std	Std	Std	Std	Std
Driver and passenger airbag	Std	Std	Std	Std	Std	Std	Std
Side airbags (thorax only)	-	-	-	-	-	Std	Std
Curtain airbags	-	-	-	-	-	Std	Std
Rear parking distance sensors	-	Opt	Opt	Opt	Opt	Std	Std
Rear-view parking camera	-	-	-	-	-	Std	Std
Volumetric burglar alarm system	-	Std	Std	Std	Std	Std	Std
Mechanical							
Wheels & Tyres							
16x7" Steel wheel	Std	Std	Std	Std	Std	-	-
16x7" Alloy wheel	-	Opt	Opt	Opt	Opt	Std	Std
17x8" Alloy wheel	-	-	-	-	-	Opt	Opt
17x8" Cast Alloy wheel – Panther Black	-	Opt	Opt	Opt	Opt	Opt	Opt
Towing	·					,	
Towbar	-	Std	Std	Std	Std	Std	Std
Dimensions & Weights							
Towing mass (braked) (kg)	1500	3500	3500	3 500	3500	3 500	3500
Fuel tank capacity (L)	80	80	80	80	80	80	80
Gross Vehicle Mass (GVM) (kg)	3 025	3200	3 200	3 200	3 200	3 200	3 200
Gross Combination Mass (GCM) (kg)	4 525	6 000	6 000	6 000	6 000	6 000	6 000
Tare mass (kg)	1849	2 031	2130	2 012	2 012	2 155	2200
Payload (kg) [passenger weight (65kg) and fuel weight (80L) removed]	1 031	1024	925	1043	1043	900	855
Overall length (mm)	5 354	5 354	5 354	5 354	5 354	5 354	5 354
Overall height (mm)	1851	1851	1 851	1851	1 851	1851	1851
Overall width (incl. outer mirror)	2163	2 163	2163	2163	2 163	2163	2 163
Overall width (excl. outer mirror)	1860	1860	1860	1860	1860	1860	1860
Wheelbase	3 220	3 220	3 220	3 220	3 220	3 220	3 220
Cargo floor length (mm)	1549	1549	1549	1549	1549	1549	1549
Cargo floor width (mm)	1560	1560	1560	1560	1560	1560	1560
Cargo width (mm) (between wheel arches)	1139	1139	1139	1139	1139	1139	1139
Cargo depth (mm)	511	511	511	511	511	511	511
Ground clearance (mm) (fully loaded)	237	237	237	237	237	237	237
Wading depth (mm)	800	800	800	800	800	800	800



	DOUBLE CAB										
	2.0 SiT 4x2 XLT Hi-Rider	2.0 SiT 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 Wildtrak Hi-Rider	2.0 BiT 4x2 Wildtrak Hi-Rider	2.0 BiT 4x4 Wildtrak Hi-Rider		
Engine											
Power: kW @ rpm	132 @ 3 500	132 @ 3 500	147 @ 3 000	147 @ 3 000	147 @ 3 000	147 @ 3 000	147 @ 3 000	157 @ 3 750	157 @ 3 750		
Torque: Nm @ rpm	420 @ 1750 - 2 500	420 @ 1750 – 2 500	470 @ 1500 – 2750	470 @ 1500 – 2750	470 @ 1500 – 2750	470 @ 1500 - 2750	470 @ 1500 – 2750	500 @1500 - 2 000	500 @ 1500 2 000		
Transmission	2500	2500	2750	2750	2755	2750	2750	1000	2 000		
Туре	10-speed	10-speed	6-speed	6-speed	6-speed	6-speed	6-speed	10-speed	10-speed		
	Automatic	Automatic	Automatic	Automatic	Manual	Manual	Automatic	Automatic	Automatic		
Electronic locking rear differential	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Electronic Shift-on-the-Fly (ESOF)	-	Std	-	Std	-	Std	-	-	Std		
Vehicle Capabilities											
Electronic Stability Programme (ESP)	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Hill Descent Control	-	Std	-	Std	-	Std	-	-	Std		
Hill Launch Assist	Std Std	Std Std	Std Std	Std Std	Std Std	Std Std	Std	Std Std	Std Std		
Rollover Mitigation Adaptive Load Control	Std	Std	Std	Std	Std	Std	Std Std	Std	Std		
Trailer Sway Control	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Traction control	Std	Std	Std	Std	Std	Std	Std	Std	Std		
ESP brake system	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Anti-lock Braking System (ABS) with	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Electronic Brakeforce Distribution (EBD)	-	-	-	-	-	-					
Active Park Assist – parallel parking							Std	Std	Std		
Towbar	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Exterior	G. J.	G1.1	a. I	g, I	61.1	61.1	G. I	a. I	G. 1		
Side steps	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Tailgate lock	Power	Power	Power	Power	Power	Power	Power	Power	Power		
Tailgate with lift assistance	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Body & Box Elements											
Wildtrak cargo area management system with side rails	-	-	-	-	-	-	Std	Std	Std		
Drop-in bedliner with 12V power point							Std	Std	Std		
Inner tie-downs	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Spray-in bedliner	Opt	Opt	Opt	Opt	Opt	Opt	-	-	-		
Windows & Mirrors											
Rain-sensing wipers	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Window Operation							'				
Front power and rear windows with driver one-touch up/down function (with anti-pinch)	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Exterior – Mirrors (Driver & Front Passenger)											
Exterior mirrors – power-adjustable, power- fold, turn indicator	Std	Std	Std	Std	Std	Std	-	-	-		
Exterior mirrors – power-adjustable, power- fold, heated, puddle lamp, turn indicator	-	-	-	-	-	-	Std	Std	Std		
Exterior Lighting											
Auto-on/off headlamps	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Projector headlamps	Std	Std	Std	Std	Std	Std	-	-	-		
High-intensity discharge headlamp			-			-	Std	Std	Std		
Front fog lamps	Std	Std	Std	Std	Std	Std	-	-	-		
Front fog lamps – LED	-	-	-	-	-	-	Std	Std	Std		
Manual front headlamp levelling	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Daytime running lamps	Std	Std	Std	Std	Std	Std	Std	Std	Std		
Rear fog lamp	Std	Std	Std	Std	Std	Std	Std	Std	Std		
High-mounted stop lamp with loadbox lighting	Std	Std	Std	Std	Std	Std	Std	Std	Std		
G									310		



					DOUBLE CAB				
	2.0 SiT 4x2 XLT Hi-Rider	2.0 SiT 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 Wildtrak Hi-Rider	2.0 BiT 4x2 Wildtrak Hi-Rider	2.0 BiT 4x4 Wildtrak Hi-Rider
Interior									
Climate Control									
Dual-zone Electronic Automatic Temperature Control	Std	Std	Std	Std	Std	Std	Std	Std	Std
Audio/Media									
Ford SYNC®3 with 6 speakers, CD, 2x USB ports, MP3, Bluetooth®, 8" colour TFT screen & 2x 4.2" TFT screens in cluster & Navigation	Std	Std	Std	Std	Std	Std	Std	Std	Std
Instrument Panel, Cockpit & Controls									
4-spoke leather steering wheel with multi- functional buttons	Std	Std	Std	Std	Std	Std	Std	Std	Std
Cruise control Adaptive Cruise Control: Heads-up display,	Std	Std	Std	Std	Std	Std	Std	Std	Std
Forward Collision Warning, Distance alert, Autonomous emergency braking, Lane-keeping Aid, Driver Alert System, Auto high-beam control	-	-	-	-	-	-	Std	Std	Std
12V power point plug – front & rear console	Std	Std	Std	Std	Std	Std	Std	Std	Std
12V power point plug – loadbox	-	-	-	-	-	-	Std	Std	Std
230V/150W power converter					_	_	Std	Std	Std
Cooled centre console	Std	Std	Std	Std	Std	Std	Std	Std	Std
Roof Trim									
Sun visor – driver and passenger with ticket holder and illuminated vanity mirror, sliding rod	Std	Std	Std	Std	Std	Std	Std	Std	Std
Floor Trim									
Wildtrak front & rear carpet mats	-	-	-	-	-	-	Std	Std	Std
Seats									
Driver's seat – 4-way manually adjustable with lumbar support adjustment	Std	Std	Std	Std	Std	Std	-	-	-
Driver's seat – 8-way power-adjustable with lumbar support adjustment	-	-	-	-	-	-	Std	Std	Std
Heated seats – driver & passenger	-	-	-	-	-	-	Std	Std	Std
Seat material – leather*	Std	Std	Std	Std	Std	Std	Std	Std	Std
Mirrors									
Electrochromatic rear-view mirror	Std	Std	Std	Std	Std	Std	Std	Std	Std
Stowage									
Rear underseat storage	Std	Std	Std	Std	Std	Std	Std	Std	Std

	DOUBLE CAB									
	2.0 SiT 4x2 XLT Hi-Rider	2.0 SiT 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 Wildtrak Hi-Rider	2.0 BiT 4x2 Wildtrak Hi-Rider	2.0 BiT 4x4 Wildtrak Hi-Rider	
Safety & Security										
Keyless entry & push-start button	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Childproof rear door locks	Std	Std	Std	Std	Std	Std	Std	Std	Std	
ISOFIX seats	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Driver and passenger airbag	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Side airbags (thorax only)	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Curtain airbags	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Inflatable knee airbag	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Front & rear parking sensors	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Rear-view parking camera	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Volumetric burglar alarm system	Std	Std	Std	Std	Std	Std	Std	Std	Std	
Mechanical										
General										
Tyre Pressure Monitoring System (TPMS)	-	-	-	-	-	-	Std	Std	Std	
Wheels & Tyres										
17x8" Alloy wheel	Std	Std	Std	Std	Std	Std	-	-	-	
17x8" Cast Alloy wheel – Panther Black	Opt	Opt	Opt	Opt	Opt	Opt	-	-	-	
18" Alloy wheel	-	-	-	-	-	-	Std	Std	Std	
Dimensions & Weights										
Towing mass (braked) (kg)	3500	3500	3 500	3 500	3 500	3 500	3 500	3 500	3 500	
Fuel tank capacity (L)	80	80	80	80	80	80	80	80	80	
Gross Vehicle Mass (GVM) (kg)	3 200	3 200	3 200	3 200	3 200	3 200	3 200	3 200	3 200	
Gross Combination Mass (GCM) (kg)	6 000	6 000	6 000	6 000	6 000	6 000	6 000	6 000	6 0 0 0	
Tare mass (kg)	2142	2 044	2116	2 214	2 062	2 159	2 131	2 098	2 195	
Payload (kg) [passenger weight (65kg) and fuel weight (80L) removed]	913	1 011	939	841	993	896	924	957	860	
Overall length (mm)	5 354	5 354	5 354	5 354	5 354	5 354	5 354	5 354	5 354	
Overall height (mm)	1 851	1851	1 851	1851	1851	1 851	1 851	1851	1851	
Overall width (incl. outer mirror)	2163	2 163	2 163	2 163	2 163	2 163	2 163	2163	2163	
Overall width (excl. outer mirror)	1860	1860	1860	1860	1860	1860	1860	1860	1860	
Wheelbase	3 220	3 220	3 220	3 220	3 220	3 220	3 220	3 220	3 220	
Cargo floor length (mm)	1549	1549	1549	1549	1549	1549	1549	1549	1549	
Cargo floor width (mm)	1560	1560	1560	1560	1560	1560	1560	1560	1560	
Cargo width (mm) (between wheel arches)	1139	1139	1139	1139	1139	1139	1139	1139	1139	
Cargo depth (mm)	511	511	511	511	511	511	511	511	511	
Ground clearance (mm) (fully loaded)	237	237	237	237	237	237	237	237	237	
Wading depth (mm)	800	800	800	800	800	800	800	800	800	

