FEATURES	1.0 START	1.0 & 1.2 STREET	1.0 & 1.2 STYLE	1.2 SMART		
Radio/MP3/RDS	X	-	-	-		
7-inch Infotainment Audio System	-	X	X	X		
Android Auto & Apple Carplay	-	X	X	X		
Remote Central Locking with Alarm and Immobiliser	-	X	X	X		
Driver seat height adjuster	-	X	Х	X		
Electric Heated Side Mirrors	-	X	X	X		
Electric windows (Front & Rear)	-	X	X	X		
Leather Steering Wheel and Gear Knob	-	Soft PVC	X	X		
Automatic Light Control	-	-	X	X		
Front projection fog lights	-	-	X	X		
Driver and Passenger vanity mirrors	-	-	X	X		
Electric Folding Mirrors & Side Mirror Indicator	-	-	X	X		
Mud guards	-	-	-	X		
LED Daytime Running Lights	-	-	-	X		
Rear Window Wiper	-	-	-	X		
Seat Back Pockets	-	-	-	X		
Front Projection Bi-function Headlights	-	-	-	X		
LED Rear Combination Lamps	-	-	-	X		
High Gloss Centre Fascia	-	-	-	X		
Storage box	-	-	-	X		
Aluminium pedals	-	-	-	X		
LED position lamp	-	-	-	X		
Tweeters	-	-	-	X		
Sunroof	-	-	-	X		
Leather Combination Upholstery	-	-	-	X		
Service Plan		X (2year/30 000km)				
OPTIONAL						
Automatic Transmission			X			
Metallic paint		Х				
	WARRANTY & SER	VICE & ROADSIDE ASSISTANCE				

Exterior Colours
















































picanto **Erunner**








Get something petite-sized, sleek and streetwise

Marathon or sprint? In the New Picanto Runner, you decide. Enjoy the practical space and comfort of a traditional Picanto, while your Business benefits from the 350kg payload usually found in larger lorries. And with an unlimited kilometre warranty combined with our standard KIA Fleet Care package, you'll be perfectly equipped to outrun any new normal.









From its sturdy frame to the latest in sensor technology, the Picanto is dedicated to protecting you when trouble happens and helps you avoid tricky situations in the first place.



Braking System The brakes are tuned to work with the ABS and tyres to reduce stopping distance, while maximising stopping power and directional control during braking.





The Picanto uses more than 44% Advanced High Strength Steel (AHSS), resulting in phenomenal rigidity. And Hot-stamping of components is employed in core stress areas. These measures greatly improve average body tensile strength, enhancing cabin protection and improving dynamic performance.

Images shown may contain vehicles, specifications or colours that are model specific, that may not be available in this country, or may be fitted with optional extras.

Standard Specifications

ENGINE	1	.0	1.	2		
Гуре		12 valve DOHC	In-line 4 cyl, 16 valve DOHC			
uel supply system	Multi Point Injection (MPI)		Multi Point Injection (MPI)			
Max power (kW/rpm)	49/5500		61/6000			
Max torque (Nm/rpm)	95/3750		122/4000			
Compression ratio	10.5 : 1		10.5 : 1			
Bore x stroke (mm)	71 x 84		71 x 78.8			
Max speed (Km)	155		170			
Fuel type	Unleaded petrol		Unleaded petrol			
TRANSMISSION	Onleaded ped 01					
Transmission		5-Spd [4	1-Spd1			
DIMENSIONS & CAPACITIES						
Overall length x width x height (mm)	3 595 x 1 595 x 1 495					
Vheelbase (mm)	2400					
Overhang (front/rear) (mm)	675/520					
Minimum ground clearance (mm)	995 052 005 072 [AT]		,			
Curb weight (min-max kg)	885 - 952 , 9	885 - 952 , 905 - 972 [AT]		894 - 961 , 913 - 980 [AT]		
Gross Vehicle Weight (GVM) (kg)	1370					
ruel tank capacity (I)		35				
Cargo area capacity (i): - Seat up (VDA)	255					
STEERING	(MDDC) Materia Driv. 12 Cit. 1					
ype BRAKES	(MDPS) Motor Driven Power Steering					
ront Brakes	Disc (241 mm 13" Tyre) (252 mm 14&15" Tyre)					
Rear Brakes						
	Drum (203.2 mm)					
HISDENSION			3.2 mm/			
ront		MacPhers	on Strut			
ront Rear	1.0 START	MacPhers Coupled Torsio	on Strut on Beam Axle	1.2 SMART		
ront Rear VHEELS & TYRES	1.0 START 13" Steel	MacPhers Coupled Torsic 1.0 & 1.2 STREET	on Strut on Beam Axle 1.0 & 1.2 STYLE	1.2 SMART 15" Allou		
ront Rear VHEELS & TYRES Vheels	13" Steel	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel	on Strut on Beam Axle 1.0 & 1.2 STYLE 14" Alloy	15" Alloy		
ront Vear VHEELS & TYRES Vheels Tyres	13" Steel 155/80 R13	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14	on Strut on Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14	15" Alloy 185/55 R15		
Pront Rear VHEELS & TYRES Vheels Tyres Vheel treat (front/rear) (mm)	13" Steel 155/80 R13 1419/1423	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14 1405/1415	on Strut on Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14 1405/1415	15" Alloy 185/55 R15 1393/1403		
Pront Pear VHEELS & TYRES Vheels Tyres Vheel treat (front/rear) (mm) AFETY & SECURITY	13" Steel 155/80 R13	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14	on Strut on Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14	15" Alloy 185/55 R15		
ront Rear WHEELS & TYRES Wheels Tyres Wheel treat (front/rear) (mm) SAFETY & SECURITY Airbags	13" Steel 155/80 R13 1419/1423 1.0 START	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14 1405/1415 1.0 & 1.2 STREET	on Strut on Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14 1405/1415 1.0 & 1.2 STYLE	15" Alloy 185/55 R15 1393/1403 1.2 SMART		
ront Rear VHEELS & TYRES Vheels Tyres Vheel treat (front/rear) (mm) AFETY & SECURITY Airbags Data Dot	13" Steel 155/80 R13 1419/1423 1.0 START Driver & Passenger	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14 1405/1415 1.0 & 1.2 STREET Driver & Passenger X	on Strut In Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14 1405/1415 1.0 & 1.2 STYLE Driver & Passenger	15" Alloy 185/55 R15 1393/1403 1.2 SMART Driver & Passenger		
ront Rear VHEELS & TYRES Vheels Tyres Vheel treat (front/rear) (mm) AFETY & SECURITY iirbags Data Dot SOFIX (Child Anchors)	13" Steel 155/80 R13 1419/1423 1.0 START Driver & Passenger X X	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14 1405/1415 1.0 & 1.2 STREET Driver & Passenger X X	on Strut in Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14 1405/1415 1.0 & 1.2 STYLE Driver & Passenger X X	15" Alloy 185/55 R15 1393/1403 1.2 SMART Driver & Passenger X		
ront Rear VHEELS & TYRES Vheels Tyres Vheel treat (front/rear) (mm) AFETY & SECURITY iribags Rata Dot SOFIX (Child Anchors) BS (Anti-lock Braking System)	13" Steel 155/80 R13 1419/1423 1.0 START Driver & Passenger X	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14 1405/1415 1.0 & 1.2 STREET Driver & Passenger X X	on Strut in Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14 1405/1415 1.0 & 1.2 STYLE Driver & Passenger X X	15" Alloy 185/55 R15 1393/1403 1.2 SMART Driver & Passenger X		
Rear VHEELS & TYRES Vheels Tyres Vheel treat (front/rear) (mm) AFETY & SECURITY Airbags Data Dot SOFIX (Child Anchors) ABS (Anti-lock Braking System) EATURES	13" Steel 155/80 R13 1419/1423 1.0 START Driver & Passenger X X	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14 1405/1415 1.0 & 1.2 STREET Driver & Passenger X X	on Strut in Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14 1405/1415 1.0 & 1.2 STYLE Driver & Passenger X X	15" Alloy 185/55 R15 1393/1403 1.2 SMART Driver & Passenger		
ront Rear VHEELS & TYRES Vheels Tyres Vheel treat (front/rear) (mm) AFETY & SECURITY Airbags Data Dot SOFIX (Child Anchors) ABS (Anti-lock Braking System) EATURES Air-conditioner (Manual)	13" Steel 155/80 R13 1419/1423 1.0 START Driver & Passenger X X X 1.0 START	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14 1405/1415 1.0 & 1.2 STREET Driver & Passenger X X X 1.0 & 1.2 STREET	on Strut n Beam Axie 1.0 & 1.2 STYLE 14" Alloy 175/65 R14 1405/1415 1.0 & 1.2 STYLE Driver & Passenger X X X 1.0 & 1.2 STYLE	15" Alloy 185/55 R15 1393/1403 1.2 SMART Driver & Passenger		
Rear VHEELS & TYRES Vheels Tyres Vheel treat (front/rear) (mm) VAFETY & SECURITY Varibags Vata Dot SOFIX (Child Anchors) VABS (Anti-lock Braking System) VEATURES Vari-conditioner (Manual) Valor Driven Power Steering	13" Steel 155/80 R13 1419/1423 1.0 START Driver & Passenger X X X I.0 START Manual	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14 1405/1415 1.0 & 1.2 STREET Driver & Passenger X X X 1.0 & 1.2 STREET Manual X	on Strut nn Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14 1405/1415 1.0 & 1.2 STYLE Driver & Passenger X X X 1.0 & 1.2 STYLE Manual	15" Alloy 185/55 R15 1393/1403 1.2 SMART Driver & Passenger		
ront tear VHEELS & TYRES Vheels Tyres Vheel treat (front/rear) (mm) AFETY & SECURITY AFETY & SE	13" Steel 155/80 R13 1419/1423 1.0 START Driver & Passenger X X X I.0 START Manual X X	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14 1405/1415 1.0 & 1.2 STREET Driver & Passenger X X X 1.0 & 1.2 STREET Manual X X	on Strut on Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14 1405/1415 1.0 & 1.2 STYLE Driver & Passenger X X X 1.0 & 1.2 STYLE Manual X	15" Alloy 185/55 R15 1393/1403 1.2 SMART Driver & Passenger		
ront tear VHEELS & TYRES Vheels Tyres Vheel treat (front/rear) (mm) AFETY & SECURITY irbags Data Dot SOFIX (Child Anchors) BS (Anti-lock Braking System) EATURES ir-conditioner (Manual) Motor Driven Power Steering peakers	13" Steel 155/80 R13 1419/1423 1.0 START Driver & Passenger X X X 1.0 START Manual X X 2	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14 1405/1415 1.0 & 1.2 STREET Driver & Passenger X X X 1.0 & 1.2 STREET Manual X X	on Strut on Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14 1405/1415 1.0 & 1.2 STYLE Driver & Passenger X X X 1.0 & 1.2 STYLE Manual X X 4	15" Alloy 185/55 R15 1393/1403 1.2 SMART Driver & Passenger		
Rear VHEELS & TYRES Vheels Vyeels Vyeel treat (front/rear) (mm) VAFETY & SECURITY Varibags Vata Dot SOFIX (Child Anchors) VABS (Anti-lock Braking System) VEATURES Vari-conditioner (Manual) Votor Driven Power Steering Votor-coloured Bumpers Varibages Vire-adjustable Steering	13" Steel 155/80 R13 1419/1423 1.0 START Driver & Passenger X X X 1.0 START Manual X X X	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14 1405/1415 1.0 & 1.2 STREET Driver & Passenger X X X 1.0 & 1.2 STREET Manual X X X	on Strut on Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14 1405/1415 1.0 & 1.2 STYLE Driver & Passenger X X X 1.0 & 1.2 STYLE Manual X X X X X X X X X X X X X	15" Alloy 185/55 R15 1393/1403 1.2 SMART Driver & Passenger		
Rear VHEELS & TYRES Vheels Vyeels Vyeel treat (front/rear) (mm) VAFETY & SECURITY Variety as SECURITY Vari	13" Steel 155/80 R13 1419/1423 1.0 START Driver & Passenger X X X 1.0 START Manual X X X X X X X X X X X X X	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14 1405/1415 1.0 & 1.2 STREET Driver & Passenger X X X 1.0 & 1.2 STREET Manual X X X X X X X X X X X X X	on Strut on Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14 1405/1415 1.0 & 1.2 STYLE Driver & Passenger X X 1.0 & 1.2 STYLE Manual X X X X X X X X X X X X X	15" Alloy 185/55 R15 1393/1403 1.2 SMART Driver & Passenger		
Rear WHEELS & TYRES Wheels Tyres Wheel treat (front/rear) (mm) SAFETY & SECURITY Whirbags Data Dot SOFIX (Child Anchors) MBS (Anti-lock Braking System) SEATURES Win-conditioner (Manual) Motor Driven Power Steering Sody-coloured Bumpers Speakers Filt-adjustable Steering SO-40 split Rear Folding Seats Mdjustable Headrests (Up / down)	13" Steel 155/80 R13 1419/1423 1.0 START Driver & Passenger X X X 1.0 START Manual X X X X X X X X X X X X X	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14 1405/1415 1.0 & 1.2 STREET Driver & Passenger X X 1.0 & 1.2 STREET Manual X X X X X X X X X X X X X	on Strut on Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14 1405/1415 1.0 & 1.2 STYLE Driver & Passenger X X 1.0 & 1.2 STYLE Manual X X X X X X X X X X X X X	15" Alloy 185/55 R15 1393/1403 1.2 SMART Driver & Passenger		
Pront Rear VHEELS & TYRES Vheels Vheels Vheels Vheel treat (front/rear) (mm) VAFETY & SECURITY Vairbags Vata Dot SOFIX (Child Anchors) VABS (Anti-lock Braking System) VAFATURES VAIR Conditioner (Manual) VAIR Coloured Bumpers VAIR Coloured Bumpers VAIR Coloured Bumpers VAIR Coloured Steering VAIR COLOURED VAIR	13" Steel 155/80 R13 1419/1423 1.0 START Driver & Passenger X X X 1.0 START Manual X X X X X X X X X X X X X	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14 1405/1415 1.0 & 1.2 STREET Driver & Passenger X X X 1.0 & 1.2 STREET Manual X X X X X X X X X X X X X	on Strut on Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14 1405/1415 1.0 & 1.2 STYLE Driver & Passenger X X 1.0 & 1.2 STYLE Manual X X X X X X X X X X X X X	15" Alloy 185/55 R15 1393/1403 1.2 SMART Driver & Passenger		
SUSPENSION Front Rear WHEELS & TYRES Wheels Fyres Wheels Fyres Wheel treat (front/rear) (mm) SAFETY & SECURITY Airbags Data Dot SOFIX (Child Anchors) ABS (Anti-lock Braking System) FEATURES Air-conditioner (Manual) Motor Driven Power Steering Body-coloured Bumpers Speakers Filt-adjustable Steering SO:40 split Rear Folding Seats Adjustable Headrests (Up / down) Frip Computer	13" Steel 155/80 R13 1419/1423 1.0 START Driver & Passenger X X X 1.0 START Manual X X X X X X X X X X X X X	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14 1405/1415 1.0 & 1.2 STREET Driver & Passenger X X X 1.0 & 1.2 STREET Manual X X X X X X X X X X X X X	on Strut n Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14 1405/1415 1.0 & 1.2 STYLE Driver & Passenger X X X 1.0 & 1.2 STYLE Manual X X 4 X X X X X X X X X X	15" Alloy 185/55 R15 1393/1403 1.2 SMART Driver & Passenger		
Rear WHEELS & TYRES Wheels Tyres Wheel treat (front/rear) (mm) SAFETY & SECURITY Airbags Data Dot SOFIX (Child Anchors) ABS (Anti-lock Braking System) SEATURES Air-conditioner (Manual) Motor Driven Power Steering Sody-coloured Bumpers Speakers Sitt-adjustable Steering So:40 split Rear Folding Seats Adjustable Headrests (Up / down) Trip Computer digh Mounted Stop Lamp Sovering Shelf Trim	13" Steel 155/80 R13 1419/1423 1.0 START Driver & Passenger X X X 1.0 START Manual X X X X X X X X X X X X X	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14 1405/1415 1.0 & 1.2 STREET Driver & Passenger X X X 1.0 & 1.2 STREET Manual X X X X X X X X X X X X X	on Strut n Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14 1405/1415 1.0 & 1.2 STYLE Driver & Passenger X X X I.0 & 1.2 STYLE Manual X X X X X X X X X X X X X	15" Alloy 185/55 R15 1393/1403 1.2 SMART Driver & Passenger		
Front Rear WHEELS & TYRES Wheels Fyres Wheels Fyres Wheel treat (front/rear) (mm) SAFETY & SECURITY Airbags Data Dot SOFIX (Child Anchors) ABS (Anti-lock Braking System) SEATURES Air-conditioner (Manual) Whotor Driven Power Steering Body-coloured Bumpers Speakers Filt-adjustable Steering SO:40 split Rear Folding Seats Adjustable Headrests (Up / down) Frip Computer	13" Steel 155/80 R13 1419/1423 1.0 START Driver & Passenger X X X 1.0 START Manual X X X X X X X X X X X X X	MacPhers Coupled Torsic 1.0 & 1.2 STREET 14" Steel 175/65 R14 1405/1415 1.0 & 1.2 STREET Driver & Passenger X X X 1.0 & 1.2 STREET Manual X X X X X X X X X X X X X	on Strut n Beam Axle 1.0 & 1.2 STYLE 14" Alloy 175/65 R14 1405/1415 1.0 & 1.2 STYLE Driver & Passenger X X X 1.0 & 1.2 STYLE Manual X X 4 X X X X X X X X X X	15" Alloy 185/55 R15 1393/1403 1.2 SMART Driver & Passenger		

Runner Specifications

nner Specifications				
INE	PICANTO RUNNER			
2	In-line 3 cyl, 12 valve DOHC			
supply system	Multi Point Injection (MPI)			
power (kW/rpm)	49/5500			
torque (Nm/rpm)	95/3750			
pression ratio	10.5 : 1			
x stroke (mm)	71 x 84			
speed (Km)	155			
type	Unleaded petrol			
NSMISSION				
smission - Manual	5-Spd			
ENSIONS & CAPACITIES				
all length x width x height (mm)	3 595 x 1 595 x 1 495			
elbase (mm)	2400			
hang (front/rear) (mm)	675/520			
mum ground clearance (mm)	151			
weight (min-max kg)	885 - 952			
ss Vehicle Weight (GVM) (kg)	1370			
tank capacity (I)	35			
o area capacity (I):	820			
oad	350 kg			
ERING	350 kg			
	(MDPS) Motor Driven Power Steering			
KES	(ms. 3) motor street steering			
t	Disc (241 mm 13" Tyre) (252 mm 14&15" Tyre)			
	Drum (203.2 mm)			
PENSION				
t	MacPherson Strut			
	Coupled Torsion Beam Axle			
ELS & TYRES	PICANTO RUNNER			
els	13" Steel			
S	155/80 R13			
el treat (front/rear) (mm)	1419/1423			
ETY & SECURITY	PICANTO RUNNER			
ags	Driver & Passenger			
Dot	X			
IX (Child Anchors)	X			
(Anti-lock Braking System	X			
n system	Central Locking & Alarm & Immobiliser			
TURES	PICANTO RUNNER			
conditioner (Manual)	Manual			
or Driven Power Steering	X			
y-coloured Bumpers	X			
akers	2			
adjustable Steering	X			
stable Headrests (Up / down)	X			
Computer	X			
Mounted Stop Lamp	X			
ring Shelf Trim	X			
tooth	X			
& USB	X			
ring wheel remote controls	X			