






LAND CRUISER 70 SERIES





70 Series AS RUGGED **AS AFRICA**

The indestructible Land Cruiser 70 series surrenders to no challenge; it is steadfast and bold. This range of vehicles is built to perform and work as hard as you do, which is why they have been at the helm of 4x4 African motoring for more than 60 years. A 4.5 litre V8 engine with 151 kW of power and 430 Nm of torgue is now available in the Station Wagon, Single Cab and Double Cab ranges. Tackling the toughest of terrains with ease, the Land Cruiser 70 series is truly as rugged as Africa.

The Land Cruiser 70 series is available in seven models: Land Cruiser 76 Station Wagon Diesel 4.5 V8 Land Cruiser 79 Single Cab Diesel 4.2 Land Cruiser 79 Single Cab Petrol 4.0

Land Cruiser 79 Single Cab Diesel 4.5 V8 Land Cruiser 79 Double Cab Diesel 4.2 Land Cruiser 79 Double Cab Petrol 4.0 Land Cruiser 79 Double Cab Diesel 4.5 V8



70 Series 76 V8 STATION WAGON EMBARKON AN AFRICAN ADVENTURE

If you're planning on venturing into the wild open country, the Land Cruiser 76 V8 Station Wagon is the perfect vehicle to see it all and get away from it all. Its spacious interior can seat up to five adults in comfort with extra space for luggage. The vehicle also has a fuel capacity of 130 litres to take you further into the wilderness.

The Land Cruiser 76 V8 Station Wagon has the flexibility of a five-seater with the formidable ability of a 4x4, making it the perfect vehicle to witness the wonder of nature with the whole family. The 4.5 litre V8 engine with 151 kW of power and 430 Nm of torque will turn any mountain into a mere molehill.

LAND CRUISER 76

The Interior

Even though the Land Cruiser 76 V8 Station Wagon is about roughing it in the great outdoors, its interior is comfort-centred. A rear console helps keep everything in its place, plus the back pockets on the driver and front passenger seats give the rear passengers space to store whatever they need for the journey ahead. A rear bench adds extra seating space for up to five passengers, while the station wagon's impressive proportions allow ample legroom for all its occupants. For convenience, the Land Cruiser 76 V8 has electrically adjustable windows. The Land Cruiser 76 V8 Station Wagon now comes with a navigation system, Miracast (Android), Auto Plus Show (Android) and Apple Car Play (iOS).

The Exterior

The Land Cruiser 76 V8 is much more than a station wagon! Everything about it is rugged, from its imposing 230 mm ground clearance down to the 16" alloy wheels. Its already strong-featured look is taken to the next level with the painted and plated front bumper, while the aluminium side steps make getting in and out of the Land Cruiser 76 V8 simple.

SUTHERLAND.

TO SEE THE BRIGHTEST STARS IN THE WORLD YOU NEED TO **GO TO THE COLDEST PLACE IN SOUTH AFRICA, A PLACE** WHERE TEMPERATURES FALL TO -16.4°C. **TAKE THE ANCIENT ROAD TO SUTHERLAND. ABOVE** YOU, YOU'LL FIND THE MAP OF THE UNIVERSE AS **A BELT OF BRILLIANCE. BELOW YOUR LAND CRUISER,** THE ROCKS OF MILLENNIA PAST.



BRAVELY COMBAT THE TERRAIN


This vehicle is the ultimate workhorse for the tough African environment. It has got the power to take charge of the most demanding conditions and even with a full one-ton load, this pick-up will go wherever you take it. It is also available in a 4.5 litre V8 engine with 151 kW of power and 430 Nm of torque that will give your Land Cruiser extra staying power to go where most wouldn't dare.

THE EXTERIOR

The Land Cruiser 79 Single Cab is reliable through and through. Its all-welded integral cabin provides extra strength and safety, which reduces dust/water entry and corrosion that could result from deep water driving. The heavy-duty frame, suspension and drivetrain ensure it can carry the heaviest of loads, both on and off-road. This is aided by the super long wheelbase of 3180 mm. Front fog lamps, alloy wheels and chrome finishes on the grille and door handles make the Land Cruiser 79 Single Cab not only practical but adds an edgy style to it as well.

THE INTERIOR

The interior of the Land Cruiser 79 is not only practical, it's built to be comfortable for the driver and passenger no matter where their work takes them. An air conditioner to ensure you're never at the mercy of the weather, regardless of the temperature outside, is a standard feature. Front bottle holders to keep your drinks spill-free, and the lockable glove box to safely stow-away your possessions are two other standard features. For convenience, the Land Cruiser 79 Single Cab also has electrically adjustable windows.



SWARTBERG PASS.

A LIFELINE BETWEEN THE TOWNS OF THE GROOT KAROO AND KLEIN KAROO. **THE UNTARRED ROAD LEADS TO THE SUMMIT 1 583 METRES ABOVE SEA LEVEL IN STEEP** ZIGZAGS AND **SUDDEN SWITCHBACKS. IT'S DANGEROUS, YES. BUT EVERY BIT WORTH THE THRILL.** IN THE LAND CRUISER YOU'LL FIND **NO DANGER, JUST ADVENTURE AWAITS.**

70 Series 79 DOUBLE CAB DO ANYTHING, EXPLORE EVERYWHERE

The Land Cruiser 79 Double Cab comes equipped with the durability of the Land Cruiser 79 Single Cab and the extra advantage of rear seating space in the cabin. The Double Cab is multi-functional - it's strong enough to carry heavy loads and is versatile enough to transport five occupants in comfort. The Double Cab is also available in a 4.5 litre V8 engine with 151 Kw of power and 430 Nm of torque, so you can get anyone or anything – anywhere.


Model shown: Land Cruiser 79 Double Cab

07

THE EXTERIOR

Taming the African wild is no mean feat. A certain resilience is needed, something the Land Cruiser 79 Double Cab has got in bakkie loads. This vehicle delivers a go-anywhere carrying capacity in style. The Land Cruiser 79 comes standard with chrome finishes on the grille and door handles, aluminium side steps, as well as front fog lamps. The load bay is 1525 mm in length and 1600 mm wide with a load capacity of between 920 kg and 1005 kg, depending on which model you choose.







THE INTERIOR

4:28. **

Station list 94.70M

1 94.20 3 98.00 5 107.90 4 105.10 6 106.00

The Land Cruiser 79 Double Cab's exterior is made to be indestructible but its interior features afford you and your passengers the highest level of comfort. Electrically adjustable windows and an air conditioner to make even the hottest of places bearable, while an audio system with Bluetooth and USB port makes sure you're never bored on desolate stretches of road. The Land Cruiser 79 Double Cab range now comes with a navigation system, Miracast (Android), Auto Plus Show (Android) and Apple Car Play (iOS).

Centre console of the Land Cruiser 79 Double Cab Dash shown: Land Cruiser 79 Double Cab Available vehicle may differ from vehicle shown

Driver and front passenger seat back pockets

THE NAMIB DESERT.

THE NAMIB DESERT IS AN ECO-SYSTEM **OF CONTRASTS. IT'S A PLACE WHERE COASTLINE MEETS WITH DESERT**, **A PLACE WHERE THE HARDIEST OF CREATURES SURVIVE. TEMPERATURES SOAR TO 40°C AND THE HEAT** PERMEATES EVERY **CONCEIVABLE LIVING SPACE.** NIGHTTIME APPROACHES, TEMPERATURES QUICKLY FALL TO BELOW O°C. NAMIBIA IS A PLACE OF HIGH HIGHS AND LOW LOWS, A PLACE THE LAND **CRUISER CAN TACKLE WITH EASE.**

userse,




POWER **OVER THE** WILDERNESS

The Land Cruiser 70 range is suited for any call up; its three powerful and reliable engine options conquer the toughest of terrains. The 4.2 litre diesel engine delivers power of 94 kW @ 3800 and 280 Nm @ 2200 r/min on the Land Cruiser 79 Single Cab and 79 Double Cab. The 4.0 litre petrol engine available only on the Land Cruiser 79 Single Cab and Double Cab delivers power of 170 kW @ 5200 r/min and torque of 360 Nm @ 3800 r/min. The Land Cruiser Station Wagon, Single Cab or Double Cab are available with a 4.5 litre V8 engine with 151 Kw of power and 430 Nm of torgue, running on a 5-speed manual transmission to conquer even the most seemingly impossible challenges.

The Land Cruiser 70 range features a 5-speed manual transmission and an additional 4-position 4-wheel drive transfer lever, giving the driver maximum control. Its coil spring rigid axle front suspension, in combination with its long wheelbase, offers outstanding directional stability at any speed, in any condition. A leaf spring rigid axle rear suspension ensures that occupants are always comfortable. The Land Cruiser 76 V8 has a ground clearance of 230 mm, while the Land Cruiser 79 model is 235 mm above the ground, allowing the vehicles to handle off-road conditions with confidence.





The Land Cruiser 70 series range is made to work for you and with you, whatever jo you might have. Choose from our long list of accessories that best suit your Land Cruiser

FOR A FULL RANGE OF ACCESSORIES, PLEASE VISIT YOUR CLOSEST DEALER OR VISIT WWW.TOYOTA.CO.ZA


ACCESSORIES

PROTECTION FROM THE ELEMENTS (and anything else Africa throws at you)

It takes ultimate courage to stand up to the challenges that make Africa uniquely African. The Land Cruiser 70 range is confidently geared to withstand whatever perilous conditions it encounters; its safety and security standards are class-leading.

r airbags are standard on all models. and the extended front bumper prevents unnecessary airbag response when driving off-road. The Land Cruiser 70 range comes with an additional safety feature, the Anti-lock Braking System (ABS) which prevents wheels from locking up when driving on slippery surfaces. Rear differential on all models give extra traction to the rear-wheels o help you negotiate your way out of difficult situations. Ventilated front disk brakes and rear drum brakes make stopping easier on any terrain. For security and peace of mind, all the vehicles in the Land Cruiser 70 V8 models are fitted with an immobiliser, wireless door lock on the entire range.

- 1 Coil spring front suspension for good road holding and rid
- leavy duty, durable differential pinions (Single Cab
- 3 Long rear leaf springs
- rong and durable drive shaft
- urable solid front axle
- Ventilated front disc brake
- 7 Extra-strong heavy duty ladder frame



Product/item	LC79 SC	LC7	9 SC	LC79 DC	
Froductitem	LC 79 Diesel SC	LC 79 Diesel SC	LC 79 Petrol SC	LC 79 Diesel DC	LC 79 V6 Petrol DC
Bumper replacement to be ordered with fitting kit	•	•	•	•	•
Tow bar – detachable flange	•				
Seat covers	•	•	•	•	•
Rear step tow bar – fixed flange (mild steel)		•	•	•	•
Rubberising		•	•	•	•
Toyota safety film	•	•	•	•	•
Styling bar		•	•	•	•
Cattle rails		•	•	•	•
19CY Infotainment		•	•	•	•

SUSTAINABILITY

At Toyota, creating technologically advanced vehicles isn't our only priority; we're committed to lowering our environmental impact throughout our entire production process. How? By setting ourselves six challenges that will see us reach a truly world-changing goal: a positive environmental impact by 2050.





CHALLENGE 1

NEW VEHICLE ZERO CO2 EMISSIONS CHALLENGE

By owning a Toyota, you will be contributing to our challenge to reduce vehicle CO₂ emissions by 90% in comparison to 2010 levels, by 2050. You will help us promote the development of next-generation vehicles and further accelerate the spread of these vehicles.



CHALLENGE 2 IFE CYCLE ZERO CO₂ EMISSIONS CHALLENGE

Your purchase is lending a helping hand to Toyota's efforts to reduce to zero, not only CO₂ emissions produced in travelling and manufacturing, but all CO_2 emissions included in the process of materials production, disposal and recycling of vehicles.



CHALLENGE 3

PLANT ZERO CO₂ EMISSIONS CHALLENGE

Our strategies to achieve zero CO_2 emissions at our plants are: 1) Developing and introducing low- CO_2 technologies with ongoing "Kaizen". 2) Adopting renewable energy sources and utilising hydrogen energy.



CHALLENGE 4 CHALLENGE OF MINIMISING AND OPTIMISING WATER USAGE

In automobile manufacturing, we use water in painting, forging and other processes. Therefore, even a small reduction of its impact on the water environment is important. We have two measures to achieve this. These are the comprehensive reduction of the amount of water used, and comprehensive water purification and returning it to the earth.



CHALLENGE 5

CHALLENGE OF ESTABLISHING A RECYCLING-BASED SOCIETY AND SYSTEM We have been working for 40 years on our resource recycling challenge. We will continue working on the challenge of establishing a recycling-based society by rolling out the technology and systems evolved in Japan, to the world.



CHALLENGE 6 CHALLENGE OF ESTABLISHING A FUTURE SOCIETY IN HARMONY WITH NATURE

At Toyota, we have engaged in planting trees at our plants and environmental conservation activities in our surrounding areas. We are also promoting several activities across regions and















Specifications

compations							
d Cruiser 70 specifications	76 Station Wagon Diesel 4.5ℓ V8	79 Single Cab Petrol 4.0ℓ	79 Single Cab Diesel 4.2ℓ	79 Single Cab Diesel 4.5ℓ V8	79 Double Cab Petrol 4.0ℓ	79 Double Cab Diesel 4.2ℓ	79 Double Cab Diesel 4.5ℓ V8
ne and drivetrain							
ne	1VD-FTV (EGR)	1GR-FE	1HZ (with EGR)	1VD-FTV (EGR)	1GR-FE	1HZ (with EGR)	1VD-FTV (EGR)
lacement (cm ³)	4461	3956	4164	4461	3956	4164	4461
ider configuration	8 Cylinders, V-type	6-Cylinders, V-type	6-Cylinders, in-line	8 Cylinders, V-type	6-Cylinders, V-type	6-Cylinders, in-line	8 Cylinders, V-type
imum power (kW @ r/min)	151 @ 3400	170 @ 5200	94 @ 3800	151 @ 3400	170 @ 5200	94 @ 3800	151 @ 3400
imum torque (Nm @ r/min)	430 @ 1200-3200	360 @ 3800	280 @ 2200	430 @ 1200-3200	360 @ 3800	280 @ 2200	430 @ 1200-3200
e mechanism	32 Valve, DOHC	24 Valve-DOHC with VVT-i	12 Valve, SOHC	32 Valve, DOHC	24 Valve-DOHC with VVT-i	12 Valve, SOHC	32 Valve, DOHC
x stroke (mm)	86.0 x 96.0	94.0 x 95.0	94.0 x 100.0	86.0 x 96.0	94.0 x 95.0	94.0 x 100.0	86.0 x 96.0
system	Diesel-common rail	Petrol-EFI	Diesel	Diesel-common rail	Petrol-EFI	Diesel	Diesel-common rail
pression ratio	16.8 : 1	10.0 : 1	22.4 : 1	16.8 : 1	10.0 : 1	22.4 : 1	16.8 : 1
smission	5MT	5MT	5MT	5MT	5MT	5MT	5MT
ear ratio	4.529	4.529	4.313	4.529	4.529	4.313	4.529
ear ratio	2.464	2.464	2.330	2.464	2.464	2.330	2.464
ear ratio	1.490	1.490	1.436	1.490	1.490	1.436	1.490
ear ratio	1.000	1.000	1.000	1.000	1.000	1.000	1.000
ear ratio	0.881	0.881	0.838	0.881	0.881	0.838	0.881
erse	4.313	4.313	4.220	4.313	4.313	4.220	4.313
differential	3.909 4P Diff lock	4.100 4P Diff lock	4.100 4P Diff lock	3.909 4P Diff lock	4.100 4P Diff lock	4.100 4P Diff lock	3.909 4P Diff lock
iliser	Front only	Front only	Front only	Front only	Front only	Front only	Front only
t suspension	Rigid axle (coil)	Rigid axle (coil)	Rigid axle (coil)	Rigid axle (coil)	Rigid axle (coil)	Rigid axle (coil)	Rigid axle (coil)
Suspension	Rigid axle (leaf)	Rigid axle (leaf)	Rigid axle (leaf)	Rigid axle (leaf)	Rigid axle (leaf)	Rigid axle (leaf)	Rigid axle (leaf)
ice and Warranty							
ice intervals	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km
ice plan	Optional	Optional	Optional	Optional	Optional	Optional	Optional
ranty	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km
els and tyres							
size	265/70R16 Alloy	265/70R16 Alloy	265/70R16 Alloy	265/70R16 Alloy	265/70R16 Alloy	265/70R16 Alloy	265/70R16 Alloy
e wheel cover	•						
re tyre	Full-265/70R16 Alloy	Full-265/70R16 Alloy	Full-265/70R16 Alloy	Full-265/70R16 Alloy	Full-265/70R16 Alloy	Full-265/70R16 Alloy	Full-265/70R16 Alloy
and styling							
fender (body integrated)	•	•	•	•	•	•	•
guard (front and rear)	•	•	•	•	•	•	•
steps	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
ing hook (standard -2)	•	•	•	•	•	•	•
t bumper	Extension (136 mm), painted, chrome	Extension (136 mm), painted, chrome	Extension (136 mm), painted, chrome	Extension (136 mm), painted, chrome	Extension (136 mm), painted, chrome	Extension (136 mm), painted, chrome	Extension (136 mm), painted, chrome
bumper	Plated and bumper corner painted and RR conbination lamp						
t grille	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome
guards	Over fender (front and rear) adr	Over fender (front) and std (rear)					
ilamps	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen
t fog and driving lamp	•	•	•	•	•	•	•
	Door d and p: convex	Door d and p: convex	Door d and p: convex	Door d and p: convex	Door d and p: convex	Door d and p: convex	Door d and p: convex
ide rear-view mirror	w/e-mark, plated	w/e-mark	w/e-mark	w/e-mark,plated	w/e-mark	w/e-mark	w/e-mark, plated
ior, comfort and convenience							
material	Fabric	Vinyl	Vinyl	Fabric	Fabric	Fabric	Fabric
ring column adjustments	Tilt, telescopic and collapsible	Tilt, telescopic and collapsible	Tilt, telescopic and collapsible	Tilt, telescopic and collapsible	Tilt, telescopic and collapsible	Tilt, telescopic and collapsible	Tilt, telescopic and collapsible
ring wheel	4-Spoke urethane D390	4-Spoke urethane D390	4-Spoke urethane D390	4-Spoke urethane D390	4-Spoke urethane D390	4-Spoke urethane D390	4-Spoke urethane D390
and lever Knob	Urethane	Urethane	Urethane	Urethane	Urethane	Urethane	Urethane
er steering (hydraulic)	•	•	•	•	•	•	•
trically adjustable windows	With (one touch driver only)	With (one touch driver only)	With (one touch driver only)	With (one touch driver only)	With (one touch driver only)	With (one touch driver only)	With (one touch driver only)
	with (one touch driver only)	with (one touch unver only)	with (one touch unver only)		with (one touch unver only)		with (the touch driver only)
mittent rear window washer/wiper	(time a divate ant)	(time adjustment)	(time adjustment)	(time odiustment)	(time odiustment)	(time ordinate ant)	e (timo odiustment)
mittent windscreen wipers	 (time adjustment) 	 (time adjustment) 	 (time adjustment) 	 (time adjustment) 	 (time adjustment) 	 (time adjustment) 	 (time adjustment)

Specifications

Land Cruiser 70 specifications	76 Station Wagon Diesel 4.5ℓ V8	79 Single Cab Petrol 4.0ℓ	79 Single Cab Diesel 4.2ℓ	79 Single Cab Diesel 4.5ℓ V8	79 Double Cab Petrol 4.0ℓ	79 Double Cab Diesel 4.2ℓ	79 Double Cab Diesel 4.5ℓ V8
Interior, comfort and convenience							
Room lamps	•	•	•	•	•	•	•
Inside rear-view mirror	Day/night	Day/night	Day/night	Day/night	Day/night	Day/night	Day/night
Cup holders	•	•	•	•	•	•	•
Glove box	Lockable	Lockable	Lockable	Lockable	Lockable	Lockable	Lockable
Centre console box	•	•	•	•	•	•	•
Air conditioner (manual)	•	•	•	•	•	•	•
Combination switch	Standard type	Standard type	Standard type	Standard type	Standard type	Standard type	Standard type
speedometer	Analog	Analog	Analog	Analog	Analog	Analog	Analog
)igital clock	•	•	•	•	•	•	•
ight remind warning(with buzzer)	•	•	•	•	•	•	•
Door ajar warning	•	•	•	•	•	•	•
udio system with Bluetoth and USB	Toyota/display audio				Toyota/display audio	Toyota/display audio	Toyota/display audio
lavigation System	•				•	•	•
/liracast (Android only), Auto Plus Show (Android only) Apple Car Play (iOS)	•				•	•	•
Safety and security							
Child lock	•				•	•	•
ligh mount stop lamp	•						
Driver and front passenger airbags	•	•	•	•	•	•	•
nti-theft system: siren/alarm and immobiliser	•			•			•
ower door lock	•	•	•	•	•	•	•
Vireless door lock (remote)	•	•	•	•	•	•	•
Rear drum brakes	•	•	•	•	•	•	•
Dimensions and capacities							
Overall length	4910	5095	5095	5245	5095	5095	5235
Overall height	1940	1955	1955	1955	1955	1955	1945
Overall width (mm)	1870	1870	1870	1870	1870	1870	1870
Vheelbase (mm)	2730	3180	3180	3180	3180	3180	3180
Approach angle (degrees)	33	00	00			00	
Departure angle (degrees)		36	36	33	36	36	33
reparture angle (degrees)	23	36 27	27	33 27	36 27	27	33 27
	23 1555						
Front tread (mm)		27	27	27	27	27	27
Front tread (mm) Rear tread (mm)	1555	27 1555	27 1555	27 1555	27 1555	27 1555	27 1555
ront tread (mm) Rear tread (mm) Ain ground clearance (mm)	1555 1460	27 1555 1460	27 1555 1460	27 1555 1460	27 1555 1460	27 1555 1460	27 1555 1460
Front tread (mm) Rear tread (mm) Min ground clearance (mm) Front overhang (mm)	1555 1460 230	27 1555 1460 235	27 1555 1460 235	27 1555 1460 235	27 1555 1460 235	27 1555 1460 235	27 1555 1460 235
ront tread (mm) Rear tread (mm) Min ground clearance (mm) Front overhang (mm) Rear overhang (mm)	1555 1460 230 860	27 1555 1460 235 710	27 1555 1460 235 710	27 1555 1460 235 860	27 1555 1460 235 710	27 1555 1460 235 710	27 1555 1460 235 850
Front tread (mm) Rear tread (mm) Min ground clearance (mm) Front overhang (mm) Rear overhang (mm) Min Turning Radius (Tyre)	1555 1460 230 860 1320	27 1555 1460 235 710 1205	27 1555 1460 235 710 1205	27 1555 1460 235 860 1205	27 1555 1460 235 710 1205	27 1555 1460 235 710 1205	27 1555 1460 235 850 1205
Front tread (mm) Front tread (mm) Rear tread (mm) Viin ground clearance (mm) Front overhang (mm) Rear overhang (mm) Viin Turning Radius (Tyre) Interior width (mm) Interior length (mm)	1555 1460 230 860 1320 6.3	27 1555 1460 235 710 1205 7.2	27 1555 1460 235 710 1205 7.2	27 1555 1460 235 860 1205 7.2	27 1555 1460 235 710 1205 7.2	27 1555 1460 235 710 1205 6.3	27 1555 1460 235 850 1205 7.2
iront tread (mm) Rear tread (mm) Ain ground clearance (mm) iront overhang (mm) Rear overhang (mm) Ain Turning Radius (Tyre) nterior width (mm)	1555 1460 230 860 1320 6.3 1515	27 1555 1460 235 710 1205 7.2 1510	27 1555 1460 235 710 1205 7.2 1510	27 1555 1460 235 860 1205 7.2 1510	27 1555 1460 235 710 1205 7.2 1515	27 1555 1460 235 710 1205 6.3 1515	27 1555 1460 235 850 1205 7.2 1515
iront tread (mm) Rear tread (mm) Ain ground clearance (mm) iront overhang (mm) Rear overhang (mm) Ain Turning Radius (Tyre) nterior width (mm) nterior length (mm)	1555 1460 230 860 1320 6.3 1515 1700 1215	27 1555 1460 235 710 1205 7.2 1510 980	27 1555 1460 235 710 1205 7.2 1510 980	27 1555 1460 235 860 1205 7.2 1510 980 1120	27 1555 1460 235 710 1205 7.2 1515 1660	27 1555 1460 235 710 1205 6.3 1515 1660	27 1555 1460 235 850 1205 7.2 1515 1660
ront tread (mm) tear tread (mm) fin ground clearance (mm) ront overhang (mm) tear overhang (mm) fin Turning Radius (Tyre) nterior width (mm) nterior length (mm) nterior height (mm) risross Vehicle Weight (kg)	1555 1460 230 860 1320 6.3 1515 1700 1215 3060	27 1555 1460 235 710 1205 7.2 1510 980 1120 3200	27 1555 1460 235 710 1205 7.2 1510 980 1120 3200	27 1555 1460 235 860 1205 7.2 1510 980 1120 3300	27 1555 1460 235 710 1205 7.2 1515 1660 1225 3200	27 1555 1460 235 710 1205 6.3 1515 1660 1225 3200	27 1555 1460 235 850 1205 7.2 1515 1660 1225 3300
ront tread (mm) tear tread (mm) fin ground clearance (mm) ront overhang (mm) tear overhang (mm) fin Turning Radius (Tyre) nterior width (mm) nterior length (mm) nterior height (mm) teriors Vehicle Weight (kg) furb Weight (kg) (Max)	1555 1460 230 860 1320 6.3 1515 1700 1215 3060 2320	27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2315	27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2435	27 1555 1460 235 860 1205 7.2 1510 980 1120 3300 2260	27 1555 1460 235 710 1205 7.2 1515 1660 1225 3200 2360	27 1555 1460 235 710 1205 6.3 1515 1660 1225 3200 2470	27 1555 1460 235 850 1205 7.2 1515 1660 1225 3300 2370
iront tread (mm) Rear tread (mm) Ain ground clearance (mm) iront overhang (mm) Rear overhang (mm) Ain Turning Radius (Tyre) Interior width (mm) Interior length (mm) Interior height (mm) iross Vehicle Weight (kg) Curb Weight (kg) (Max) iross Combined Mass (kg)	1555 1460 230 860 1320 6.3 1515 1700 1215 3060 2320 6560	27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2315 4700	27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2435 4700	27 1555 1460 235 860 1205 7.2 1510 980 1120 3300 2260 6800	27 1555 1460 235 710 1205 7.2 1515 1660 1225 3200 2360 4700	27 1555 1460 235 710 1205 6.3 1515 1660 1225 3200 2470 4700	27 1555 1460 235 850 1205 7.2 1515 1660 1225 3300 2370 6800
iront tread (mm) Rear tread (mm) Ain ground clearance (mm) iront overhang (mm) Rear overhang (mm) Ain Turning Radius (Tyre) Interior width (mm) Interior length (mm) Interior length (mm) Aiross Vehicle Weight (kg) Curb Weight (kg) (Max) iross Combined Mass (kg) Aax Speed (km/h)	1555 1460 230 860 1320 6.3 1515 1700 1215 3060 2320 6560 160	27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2315	27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2435	27 1555 1460 235 860 1205 7.2 1510 980 1120 3300 2260	27 1555 1460 235 710 1205 7.2 1515 1660 1225 3200 2360 4700 165	27 1555 1460 235 710 1205 6.3 1515 1660 1225 3200 2470 4700 150	27 1555 1460 235 850 1205 7.2 1515 1660 1225 3300 2370 6800 160
ront tread (mm) tear tread (mm) fin ground clearance (mm) ront overhang (mm) tear overhang (mm) tear overhang (mm) nterior width (mm) nterior length (mm) nterior height (mm) teriors Vehicle Weight (kg) turb Weight (kg) (Max) tross Combined Mass (kg) Max Speed (km/h) No ₂ Emissions - Combined (g/km)	1555 1460 230 860 1320 6.3 1515 1700 1215 3060 2320 6560 160 313	27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2315 4700	27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2435 4700	27 1555 1460 235 860 1205 7.2 1510 980 1120 3300 2260 6800	27 1555 1460 235 710 1205 7.2 1515 1660 1225 3200 2360 4700 165 343	27 1555 1460 235 710 1205 6.3 1515 1660 1225 3200 2470 4700 150 320	27 1555 1460 235 850 1205 7.2 1515 1660 1225 3300 2370 6800 160 313
iront tread (mm) Rear tread (mm) Ain ground clearance (mm) iront overhang (mm) Rear overhang (mm) Ain Turning Radius (Tyre) Interior width (mm) Interior length (mm) Interior length (mm) Interior height (mm) Carbo Weight (kg) Curb Weight (kg) (Max) Gaross Combined Mass (kg) Aax Speed (km/h) CQ_ Emissions - Combined (g/km) uel Consumption - Combined (//100km)	1555 1460 230 860 1320 6.3 1515 1700 1215 3060 2320 6560 160 313 11.9	27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2315 4700 165	27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2435 4700 140	27 1555 1460 235 860 1205 7.2 1510 980 1120 3300 2260 6800 160	27 1555 1460 235 710 1205 7.2 1515 1660 1225 3200 2360 4700 165 343 14.4	27 1555 1460 235 710 1205 6.3 1515 1660 1225 3200 2470 4700 150 320 12.2	27 1555 1460 235 850 1205 7.2 1515 1660 1225 3300 2370 6800 160 313 11.9
iront tread (mm) Rear tread (mm) Ain ground clearance (mm) iront overhang (mm) Rear overhang (mm) Ain Turning Radius (Tyre) Interior width (mm) Interior length (mm) Interior height (mm) Attrior height (mm) Attrior beight (kg) Durb Weight (kg) (Max) Aross Combined Mass (kg) Aax Speed (km/h) Og_Emissions - Combined (g/km)	1555 1460 230 860 1320 6.3 1515 1700 1215 3060 2320 6560 160 313	27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2315 4700	27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2435 4700	27 1555 1460 235 860 1205 7.2 1510 980 1120 3300 2260 6800	27 1555 1460 235 710 1205 7.2 1515 1660 1225 3200 2360 4700 165 343	27 1555 1460 235 710 1205 6.3 1515 1660 1225 3200 2470 4700 150 320	27 1555 1460 235 850 1205 7.2 1515 1660 1225 3300 2370 6800 160 313

Land Cruiser 70 specifications	76 Station Wagon Diesel 4.5ℓ V8	79 Single Cab Petrol 4.0ℓ	79 Single Cab Diesel 4.2ℓ	79 Single Cab Diesel 4.5ℓ V8	79 Double Cab Petrol 4.0ℓ	79 Double Cab Diesel 4.2ℓ	79 Double Cab Diesel 4.5ℓ V8
Interior, comfort and convenience							
Room lamps	•	•	•	•	•	•	•
Inside rear-view mirror	Day/night	Day/night	Day/night	Day/night	Day/night	Day/night	Day/night
Cup holders	•	•	•	•	•	•	•
Glove box	Lockable	Lockable	Lockable	Lockable	Lockable	Lockable	Lockable
Centre console box	•	٠	•	•	•	•	•
Air conditioner (manual)	•	•	•	٠	•	•	•
Combination switch	Standard type	Standard type	Standard type	Standard type	Standard type	Standard type	Standard type
Speedometer	Analog	Analog	Analog	Analog	Analog	Analog	Analog
Digital clock	•	•	•	•	•	•	•
.ight remind warning(with buzzer)	•	•	•	•	•	•	•
Door ajar warning	•	•	•	•	•	•	•
Audio system with Bluetoth and USB	Toyota/display audio				Toyota/display audio	Toyota/display audio	Toyota/display audio
lavigation System	•				•	•	•
diracast (Android only), Auto Plus Show (Android only) Apple Car Play (iOS)	•				•	•	•
Safety and security							
Child lock	•				•	•	•
ligh mount stop lamp	•						
Driver and front passenger airbags	•	٠	•	•	•	•	•
Anti-theft system: siren/alarm and immobiliser	•			•			•
Power door lock	•	•	•	•	•	•	•
Vireless door lock (remote)	•	•	•	•	•	•	•
Rear drum brakes	•	•	•	•	•	•	•
Dimensions and capacities							
Overall length	4910	5095	5095	5245	5095	5095	5235
Overall height	1940	1955	1955	1955	1955	1955	1945
Overall width (mm)	1870	1870	1870	1870	1870	1870	1870
Nheelbase (mm)	2730	3180	3180	3180	3180	3180	3180
Approach angle (degrees)	33	36	36	33	36	36	33
Departure angle (degrees)	23	27	27	27	27	27	27
Front tread (mm)	1555	1555	1555	1555	1555	1555	1555
Rear tread (mm)	1460	1460	1460	1460	1460	1460	1460
Min ground clearance (mm)	230	235	235	235	235	235	235
Front overhang (mm)	860	710	710	860	710	710	850
Rear overhang (mm)	1320	1205	1205	1205	1205	1205	1205
Min Turning Radius (Tyre)	6.3	7.2	7.2	7.2	7.2	6.3	7.2
nterior width (mm)	1515	1510	1510	1510	1515	1515	1515
Interior length (mm)	1700	980	980	980	1660	1660	1660
nterior height (mm)	1215	1120	1120	1120	1225	1225	1225
Gross Vehicle Weight (kg)	3060	3200	3200	3300	3200	3200	3300
Curb Weight (kg) (Max)	2320	2315	2435	2260	2360	2470	2370
Gross Combined Mass (kg)	6560	4700	4700	6800	4700	4700	6800
/lax Speed (km/h)	160	165	140	160	165	150	160
CO, Emissions - Combined (g/km)	313				343	320	313
Fuel Consumption - Combined ($\ell/100$ km)	11.9				14.4	12.2	11.9
owing capacity (kg): Unbraked trailer	750	750	750	750	750	750	750
5 · · · · · · · · · · · · · · · · · · ·							
Fowing capacity (kg): Trailer with overrun brake	3500	1500	1500	3500	1500	1500	3500

* 4.5 litre V8 requires premium Diesel fuel (50 ppm or below). * Please note that the OBD may result in the OBD indicator light being on depending on the driving conditions. Please take the vehicle to your nearest Toyota dealer if this occurs.

LC 79 DOUBLE CAB COLOURS (MODEL SHOWN: LAND CRUISER 79 DOUBLE CAB)





Ivory White (058)

Sand Beige (4E9)

COLOURS BY SPECIAL ORDER







Satin Silver Metallic (1F7)

Graphite Grey Metallic (1G3)





Golden Beige Metallic (4R3)

Dark Blue (8H6)

LC 79 SINGLE CAB STANDARD COLOURS (MODEL SHOWN: LAND CRUISER 79 SINGLE CAB)





Ivory White (058)

Sand Beige (4E9)

COLOURS BY SPECIAL ORDER





Ruby Metallic (3Q3)

Satin Silver Metallic (1F7)

Graphite Grey Metallic (1G3)





Golden Beige Metallic (4R3)

Dark Blue (8H6)



Toyota vehicles are known for their Quality, Durability and Reliability. Keeping your Toyota Genuine means no compromises in terms of safety, performance and resale value. The range of Genuine Products and Approved Services will ensure complete peace of mind throughout the ownership journey and beyond. For more information on how to Keep Your Toyota Genuine visit **www.toyota.co.za/genuine**

Toyota Genuine Products

For guaranteed fit and function, **Genuine Parts** are essential in maintaining the safety and reliability of your vehicle. They also comply with all safety, regulatory and environmental requirements, making it the obvious choice. The same exacting precision applies to **Toyota Accessories**, developed by engineers with extensive knowledge on vehicle integration – you can enhance the appeal and functionality of your Land Cruiser 70 Series without compromising its safety features or warranty. Warranties are about peace of mind, and the **Genuine Unlimited Warranty** is designed to provide superior cover (up to 6 or 8 years, unlimited mileage) and a seamless claims process thanks to full integration with Toyota systems. The **Genuine Extended Service Plan** also enjoys exclusive approval by Toyota SA and provides flexible extension options up to 10 years or 200 000 km to suit your period of ownership. Paying today's rates for tomorrow's maintenance is a sensible way to protect the resale value of your Land Cruiser 70 Series by means of a full service history.

Toyota Approved Services

Specialised vehicle maintenance requires first-class facilities, advanced equipment and expert knowledge. **Toyota Quality Service and Value Service** not only promise accurate diagnosis and repair, but also a philosophy of building trust through a genuine concern for the needs of our customers. To complement the extensive network of Toyota dealers, we have a vast number of **Accredited Body and Paint Repairers**, selected on stringent criteria to ensure outstanding workmanship and customer service. You can maintain your vehicle's pristine condition without compromising its warranty thanks to the exclusive use of Genuine Parts by our Accredited Repairers. Offering 24-hour access to a full complement of assistance and recovery benefits, **Toyota Roadside Assistance** provides the peace of mind that competent support is only a phone call away.

TOYOTA GENUINE MEANS UNCOMPROMISED SAFETY GUARANTEED QUALITY PEACE OF MIND



Download the ^{My}**TOYOTA** App from the <u>Google Play Store</u> or the <u>App Store</u> to receive the latest Toyota news, keep an eye on your vehicle's finance and book your vehicle for a service. You can also book a test drive or arrange roadside assistance, all on your phone.

DISCLAIMER:

The information contained in this brochure is provided as is and without any warranties of any kind, whether expressed or implied, including but not limited to, implied warranties of satisfactory quality, fitness for a particular purpose and/or correctness. The contents of this brochure are for general information purposes only and do not constitute advice. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Limited does not represent or warrant that the information and/or specifications contained in this brochure are accurate, complete or current and specifically stipulates that certain vehicle details and specifications contained in this brochure may differ in available models. Therefore, neither Toyota Motor Corporation of Japan nor Toyota South Africa Motors (Pty) Limited make any warranties or representations regarding the use of the content, details, specifications, or information contained in this brochure in terms of their correctness, accuracy, adequacy, usefulness, reliability or otherwise, in each case to the fullest extent permitted by law. Please note that claiming of input VAT needs to be verified by customers prior to vehicle purchase as these rulings are subject to SARS interpretation. Toyota South Africa Motors' rights remain reserved.





There is no 'one-size-fits-all' when it comes to vehicle finance and insurance, there is only you. With fast, flexible and convenient services we will structure the perfect Land Cruiser 70 series model deal for you.

At Toyota Financial Services, we believe that purchasing your Toyota should be as enjoyable as driving it. Toyota Financial Services is the fast, flexible and convenient means of financing your Land Cruiser 70 series model. We have created a range of financial products that suit both private and business customers, easily accessible through your local Toyota dealer. We take the hassle out of arranging finance. Toyota Financial Services (South Africa) Ltd is an authorised Financial Services (FSP No. 7454) and Registered Credit Provider (NCRCP62). For comprehensive information about products offered by Toyota Financial Services, visit www.toyota.co.za/toyota-finance

