

# Amarok Double Cab



Commercial  
Vehicles



**Tough is a table-stake.  
Smart lifts the bar and reinvents the category.**



**Amarok. Where tough  
and smart come together.**

The Amarok unites cross-country mobility, flexibility and efficiency like no other pickup. Set on a robust ladder-frame chassis and encased in Volkswagen build quality, the Amarok is packed full of smart technology and design. The Amarok's powerful 2.0 litre TDI Biturbo engine sets new standards in terms of torque, fuel economy and CO<sub>2</sub> emissions.

The shiftable and permanent 4Motion® all-wheel drive systems along with driver assist features like off-road ABS and ESP provide it with traction and safe handling in all terrain types. Then there's its ability to shoulder the load – the large load bay dimensions allow the Amarok to accommodate a Euro pallet crosswise between its wheel arches. On tar, the Amarok also breaks new ground. With high quality interior, low noise levels and driving characteristics that leave nothing to be desired, it sets new standards in terms of comfort and ride dynamics.

**Contents.**

- The Amarok
- Engines and drive concepts
- Trim lines
- Amarok Trendline
- Amarok Highline
- Amarok Automatic
- Exterior and wheels
- Interior
- Running gear
- Safety and comfort
- Multimedia
- Volkswagen Genuine Accessories
- Paint and upholstery
- Amarok Driving Academy
- Technical data

#### **4x2 rear-wheel drive.**

The Amarok is equipped with rear-wheel drive as standard. Rear-wheel drive enables steering that is not influenced by the engine torque resulting in a smaller steering radius and enhanced driveability.

#### **Shiftable 4MOTION® all-wheel drive.**

Tough assignments call for smart and efficient power management. With shiftable 4MOTION®, the Amarok is able to distribute the driving force equally across the front and rear axles. All it takes is the push of a button and you will experience reliable traction on almost all road surfaces.

#### **Permanent 4MOTION® all-wheel drive.**

The new Amarok Automatic with Permanent 4Motion® means that four-wheel drive is available at all times, irrespective of the driving surface, providing you with the best grip possible.

#### **2.0 litre TDI Biturbo engine.**

The Amarok Highline is equipped with one of the smartest, most efficient engines of our time. The two exhaust turbochargers result in impressive vehicle response at lower engine revs and an increased power output at higher revs. With 132 kW and 400 Nm, you can quickly leave the daily grind behind you. High operating costs are also a thing of the past, because the Amarok has an average fuel consumption of just 7.9 litres per 100 km\*.

#### **2.0 litre TDI engine.**

The 2.0 litre TDI diesel engine delivers fuel consumption of just 7.6 litres per 100km\*, which significantly reduces running costs. It has been tuned for more torque, producing 103 kW of power with a maximum torque of 340 Nm.

#### **2.0 litre TSI engine.**


The Amarok's powerful TSI petrol engine features Volkswagen's advanced engine technology which delivers on both economy and performance. This robust engine produces 118 kW of power and peak torque of 300 Nm. Fuel consumption is as low as 9.6 litres/100km\*.

#### **Heavy Duty and Comfort Leaf Springs.**

The Amarok comes standard with comfort leaf springs to increase ride comfort whilst reducing road noise so that you can experience the true joy of the drive. If your Amarok needs to handle particularly tough assignments, the optional heavy duty leaf springs provide a high level of safety for payloads of up to one ton and are robust enough to master even the roughest terrains.

#### **\*Fuel Consumption and Carbon Dioxide Emission Figures**

The figures reflected were obtained in accordance with prescribed uniform measuring standards (SANS 2010: 2006 / ECE R101: 2005 in their currently applicable versions) under laboratory type conditions. The measuring standards are stipulated by law. They do not apply to a specific vehicle and are provided to enable comparison between different vehicle models tested using the same uniform measuring standard. The values are accordingly not necessarily representative of real-life driving conditions. Factors such as driving style, vehicle load, road conditions, tyre size, traffic and ambient conditions may result in different fuel consumption and carbon dioxide emission levels to those achieved under the test parameters referred to above. More details are contained in the owner's manual.



# The Amarok.

Even the toughest challenges are easy assignments for the Amarok. It has been designed to consistently provide high resilience and functionality, with the broadest load area in its category. Passenger comfort is assured in the Amarok with individually adjustable driver and front passenger seats. Passengers seated in the back are also considered with generously laid out leg and head room. Practicality is further enhanced with lots of interior storage trays to provide ample space to store almost everything.



Back seats can be folded up for additional storage space underneath the seating area. The backrest is also foldable so that you can easily reach the vehicle tool kit.



Height-adjustable driver and front passenger seats can be adjusted individually and ergonomically - for a comfortable and relaxing drive.

# The Amarok Trendline.

Comfort and versatility partnered perfectly.

The Amarok Trendline's dynamic appearance is thanks to its outstanding design features, such as colour coded front bumper and door handles. 16" alloy wheels complete the look. Inside, the ergonomically designed seats are upholstered in "Anthracite Trail" fabric – proving design and functionality can in fact sit side by side.

For further comfort and style, Vienna leather\*\* upholstery as well as a leather covered steering wheel, handbrake and gearshift lever are optional on the Amarok Trendline.

The centre armrest provides added comfort with the practical convenience of storage space. The drawers under the front seats can be used to store a number of small items within easy reach. The MP3 compatible radio ensures that you have all your music at your fingertips, while the climatic air conditioning system automatically regulates the temperature inside the vehicle to ensure superior comfort at all times. Of course, if it's fresh air you're after, the electric windows can be operated with a simple touch of a button.

For added choice, the Amarok Trendline is available with either the 2.0 litre TDI 103kW engine or the 2.0 litre TSI 118kW engine.

\*\*Leather seat inserts and a combination of high quality, durable materials.



## Climatic Air Conditioning.

The manually regulated climatic air conditioning system ensures a pleasant climate inside the vehicle in all seasons.



## Multi-function display.

Driving time, average speed, average fuel consumption and driving route, nothing will escape your attention with the multi-function display.



## Side mirror.

Keep everything in clear view with a flick of your wrist. The door mirrors on the driver side and front passenger side can be comfortably adjusted with the push of a button. They can be heated and are equipped with an integrated antenna. This way, you are not only offered a clear view, but clear radio reception as well.



# The Amarok Highline.

Striking design, superior comfort.

Powered by the impressive 2.0 BiTDI engine, delivering up to 400Nm of torque, the Amarok Highline not only takes you to the top of the highest mountain, but it moves you around the city - in style. 17" alloy wheels and partially chrome plated door mirrors and front bumpers complete its admirable exterior while optional "Anthracite Vienna" leather\*\* upholstery ensures ultimate comfort on any drive. And with leather covered gear- and handbrake levers and standard features including a multifunctional leather steering wheel, electrically foldable and heated exterior mirrors and Bluetooth cellphone preparation, the Amarok Highline turns heads wherever it goes.

\*\*Leather seat inserts and a combination of high quality, durable materials.



## Integrated step tread.

This is integrated in the chrome-plated bumper and ensures that loading and unloading is even easier and more comfortable for you.



## Striking exterior.

The exterior of the Amarok is not only striking because of its flared wheelarches. Chrome-plated rear bumpers which are standard on the Highline also enhance its imposing appearance. A wide range of colours and paint finishes are available to complete the look.



# The Amarok Automatic.

Ground-breaking innovation meets supreme efficiency.

The Amarok Automatic is equipped with an innovative 8-speed automatic transmission paired with permanent 4Motion® which translates into the perfect drive combination which means you get the best grip on all surfaces, so you can expect a safer, more controlled drive. And with a legal towing capacity of up to 3 tons (up a maximum 12% gradient) you can take what you want wherever it needs to go. The 132kW bi-turbo TDI engine achieves a maximum torque of 420Nm, with a top speed of 179 km/h reached in 7th gear. Even more impressive is the Amarok Auto's efficiency. The eighth gear functions as a fuel-saving overdrive gear that operates at reduced engine speed, which results in class-leading combined fuel consumption of just 8.3 litres per 100 km\* making it one of the most fuel-efficient Automatic Double Cabs in its class.

#### \*Fuel Consumption and Carbon Dioxide Emission Figures

The figures reflected were obtained in accordance with prescribed uniform measuring standards (SANS 20101: 2006 / ECE R101: 2005 in their currently applicable versions) under laboratory type conditions. The measuring standards are stipulated by law. They do not apply to a specific vehicle and are provided to enable comparison between different vehicle models tested using the same uniform measuring standard. The values are accordingly not necessarily representative of real-life driving conditions. Factors such as driving style, vehicle load, road conditions, tyre size, traffic and ambient conditions may result in different fuel consumption and carbon dioxide emission levels to those achieved under the test parameters referred to above. More details are contained in the owner's manual.



#### 8-speed Automatic Gearbox.

With a ground breaking 8-speed automatic transmission, the Amarok is once again at the forefront of innovation in this segment.



#### Permanent 4Motion®

Permanent 4Motion® means that four-wheel drive is available at all times, irrespective of the driving surface, providing you with the best grip possible. This means a safer, more controlled drive.



# Exterior and wheels.

The design of the Amarok is not only functional but extremely striking too. You'll recognize the typical Volkswagen "face" with its distinctive front headlights. Flared wheelhouses, which are standard on the Amarok Highline, underline its powerful character and eye-catching rear lights perfectly round off the vehicle's strong look. There's no question about it, this design conveys pure determination.



## Load area.

Thanks to a loading width of 1,222 mm between wheel housings, the Amarok can transport Euro pallets crosswise – impossible for most other pickups. There are four lashing eyes to ensure that the load is secured correctly so that everything stays in place. The sturdy tailgate can also be used as a practical extension of the load area.



## Front bumper with chrome applications.

Volkswagen's design DNA is brought to life with subtle chrome applications which are standard on the Highline.



## Mud flap.

The mud flaps are extremely hard-wearing and durable. They protect the underbody, bumpers and the rear of the Amarok from excessive dirt. In addition, stone impact is reduced and water spray minimised.



16" 'TARUMA' alloy wheels with anti-theft wheelbolts.  
245/70 R16 111T tyres

Standard on the Trendline.



17" 'ALDO' alloy wheels with anti-theft wheelbolts and flared wheelhouses.  
245/65 R17 111T tyres

Standard on Highline.  
Optional on the Trendline.



18" 'DURBAN' alloy wheels with anti-theft wheelbolts and flared wheelhouses.  
255/60 R18 112T tyres

Optional on both Highline and Trendline models.



# Interior.

However tough the work assignment may be, nothing will shake you in the Amarok. From optional leather\*\* upholstery to the ergonomically designed dashboard, the passenger compartment has been designed to make you feel comfortable. Generous amounts of head and leg room provide you with plenty of space so that you and your passengers travel in style.



## The interior, rear.

As soon as you sit down in one of the Amarok's comfortable seats, you won't want to get up again. There is an impressive amount of head room and leg room on the rear passenger bench seat. The rear seating is especially functional as the bench seat can be folded up to provide additional stowage space underneath.

\*\*Leather seat inserts and a combination of high quality, durable materials.



## The cockpit.

The premium look and feel of the materials and the ergonomic arrangement of the controls set a whole new standard for pickups. Plenty of stowage compartments ensure that you have enough space to store your personal items safely and securely. A lockable glove compartment adds extra security for valuable items. Your interior comfort is also well taken care of with practical eyeball air vents which allow for direct and precise regulation of airflow.



## The interior, front.

The interior has been designed with your well-being in mind. The two front seats offer individual height-adjustment and are equipped with a centre armrest as standard. Head restraints can also be adjusted to suit your size. There are drawers underneath the seats so that you can store smaller items.

# Running gear.

The Amarok stands out for its smooth and comfortable driving characteristics on the road, but the best way to experience the intense ride and comfort of the Amarok is by driving on rough terrain. Because that's where it can really prove what it has to offer. State-of-the-art gearbox technology and superior off-road capabilities ensure optimal traction.



## The centre console.

A practical storage compartment with a cover is located behind the handbrake.



## Carpet floor covering.

It is particularly robust and creates a warm atmosphere in the passenger compartment.



## Robust floor covering.

The washable surface makes it even easier to keep the passenger compartment clean.



## Ramp angle.

Large obstacles can be safely navigated, thanks to the Amarok's 23° ramp angle.



## Approach and departure angle.

The Amarok can brave steep hills as well as deep puddles. It has an impressive approach angle of 28° and a departure angle of 23.6° (28° without bumper) as well as a wading depth of up to 500 mm.



## Side slope angle.

The Amarok has an affinity for extremes and can even handle roads with a lateral tilt of approximately 50°. Now you'll be able to cross any slopes without a problem.



## Hill-climbing ability.

The Amarok can climb any mountain and carry your load at the same time. A trailer load of 2.8 tons is no problem at a 12% incline. With a payload of 1 ton, it can conquer hills with a 100% (45°) incline.

## Shiftable and permanent 4Motion® four-wheel drive.

The shiftable and permanent 4Motion® all-wheel drive systems, ensure reliable traction on all road surfaces.

It distributes 50% of the engine output to each of the axles to improve forward thrust.

The comfort leaf springs improve travel comfort, particularly at high speeds, and reduce road driving noise at the same time. The heavy duty leaf springs have been specially designed for off-road assignments and allow for a payload of up to one ton.

# Safety and comfort.

The Amarok easily copes with difficult terrain thanks to numerous safety systems and comfort features. ABS and a new generation of ESP help you to master even critical driving situations safely. The robust ladder-frame chassis makes the Amarok an ideal partner for the intense rigours of day-to-day work. The Amarok comes standard with daytime running lights because when it comes to being on the road, visibility means safety. Daytime running lights increase vehicle visibility and make it easier to detect approaching vehicles from further away. These measures, amongst others, ensure that you will arrive at your destination feeling safe and relaxed.



## Anti-lock Braking System ABS.

If a wheel is in danger of locking, the system immediately intervenes by reducing the brake pressure in a controlled manner. This helps to keep the Amarok fully steerable in situations where hard braking is necessary.

## Off-road ABS.

Off-road ABS has been specially developed for use on difficult terrain. As soon as the off-road ABS function has been activated, at the touch of a button, the braking interval is increased. The wheels lock up in a controlled manner so that small wedges of material from the ground (such as gravel or sand) can build up in front of each wheel. This can substantially reduce the stopping distance of the vehicle.



## Electronic Stabilisation Programme.

ESP helps prevent the vehicle from swerving. In order to respond to critical driving conditions, the system evaluates data provided by a network of sensors. It recognises what direction the driver is steering in and what direction the vehicle is moving in – and it also monitors the load situation. In this way it can build up brake force to offer directional stability when needed. At the same time, ESP is synchronised with the ABS, MSR and ASR functions and also remains activated with shifttable 4MOTION® all-wheel drive. ESP Trailer Stabilisation is a subsidiary function of the Electronic Stabilisation Programme. Should the trailer start to fluctuate heavily, the system slows it down by means of controlled braking and reduced engine torque. This steadies the trailer and increases driving safety.

## Differential lock.

When the rear differential lock is activated, both wheels at the back of the vehicle are powered with the same amount of force and rotation. This offers optimal traction, even on sandy or slippery surfaces.

## Anti-Slip Regulation ASR.

If one of the driven wheels has undesirable high rotation speed (slip rate), the ASR system activates a partial braking procedure. This prevents wheel spin and facilitates smooth acceleration.

## Hill Start and Hill Descent assist.

This system, which is only available in conjunction with ESP, prevents the Amarok from rolling backwards on an uphill incline and increases braking pressure on downhill slopes.

## Airbags.

Above all, the Amarok puts safety first. The Trendline has an airbag for the driver and passenger to cushion the head and body in the event of an accident. The Amarok Highline has combined head/thorax airbags in addition to the airbags for the driver and front passenger. These inflate if there is a heavy side-impact collision and lower the risk of injury to the ribcage.

## Emergency stop signal.

In the event of an emergency stop at 50 km/h or above, the brake lights start flashing. If the vehicle comes to a standstill, the hazard warning lights are activated and will automatically switch off again as soon as a speed of 10 km/h is reached when driving is resumed.

## Anti-theft warning system.

Available in conjunction with central locking, this system includes an electronic immobiliser, a back-up horn as an audible warning signal as well as opening protection for the fuel lid, doors and engine compartment lid.



## Load platform illumination.

A convenient light illuminates the load platform so that you can even load your Amarok in the dark.



## 12V socket.

Conveniently located on the dashboard, the 12V socket can be easily accessed to connect a variety of equipment including mobile navigation systems.



## Climatic Air Conditioning System.

The Climatic Air Conditioning system allows you to set the desired interior temperature, and it constantly monitors the cabin to ensure that the temperature is regulated for optimal comfort.



## Climatronic Air Conditioning System.

The Climatronic Air Conditioning system features separate temperature adjustments for the driver and front passenger. The electronic controls take all important factors into consideration. In this way, Climatronic can add more or less cool air to achieve the desired temperature setting with a draught-free airflow.

# Multimedia.

In case the call of the wild isn't enough for you, the Amarok offers a variety of attractive sound experiences. The radio systems provide great entertainment for the entire passenger compartment with up to six loudspeakers. To ensure that your journey is not only comfortable but also safe, the multi-function display supplies you with important vehicle operating data. Now nothing will stand in the way of an exciting, yet relaxing drive.



## MP3 Radio RCD 210

The Volkswagen Genuine MP3 car radio "RCD 210" with an integrated CD drive provides every vehicle with cool sound and plays your favourite hits as MP3 files - making inconvenient CD changes while travelling a thing of the past. Standard on the Amarok Trendline.



## MP3 Radio RCD 310

For non-stop music enjoyment on every journey the Volkswagen Genuine MP3 radio "RCD 310" plays your favourite hits as MP3 files - making changing CDs while travelling a thing of the past. In addition, the chrome-look borders around the buttons and knobs make the radio a true eye-catcher. Standard on the Amarok Highline.

# Volkswagen Genuine Accessories.

Designed specifically for the Amarok and perfectly tailored to suit your needs, the extensive range of Volkswagen Genuine Accessories is available through all Volkswagen Dealerships and offers numerous extras that enhance the Amarok experience. However diverse the range may be, all products have one thing in common, excellent Volkswagen quality that you can rely on no matter how tough the conditions. Parts and accessories are subject to availability and can be ordered through all Volkswagen Dealerships.



## 16" alloy wheels.

Volkswagen genuine 16" alloy wheels give the Amarok a robust, exclusive appearance and lend style and elegance to even the toughest conditions. This wheel has been tested according to the strictest specifications of the Volkswagen Group, guaranteeing you a high degree of safety and functionality.



## 19" alloy wheels.

Volkswagen genuine alloy wheels are dynamic, powerful and exclusive. This 19" wheel makes a strong statement and perfectly emphasises the character of the Amarok. This wheel has been tested according to the strictest specifications of the Volkswagen Group, guaranteeing you a high degree of safety and functionality.




## The "Design" Underride Guard

This emphasises the Amarok's distinctive front and adds a typical off-road touch with its textured pattern. Painted in two colours, it spans the entire width of the vehicle.



## Styling bar.

Strong and robust, the Volkswagen genuine styling bar with its solid twin pipe design is a classic pickup feature and visually enhances the Amarok.



**Stainless steel side bar.**

Gloss polished stainless steel pipes are mounted on the series standard mounting points without additional drilling.



**Textile foot mat.**

The textile foot mats provide the Amarok interior with optimal protection. They are perfectly shaped to fit the vehicle and the anti-slip coating and the mounting system prevent the front foot mats from slipping or twisting.



**The load compartment tub.**

This tub is made of scratch-resistant HDPE material and offers effective protection against anything that may soil the load compartment during transport. It is available in two versions, for mounting below the loading sill and for mounting above the loading sill. The standard lashing eyes can continue to be employed.



**Side bar with steps.**

The solid side bars create a more sleek appeal. In addition, the integrated step surfaces simplify entering the vehicle and loading the roof. Black powder-coated steel is designed to be both powerful and robust. The pipes are mounted on the series standard mounting points without additional drilling and can bear up to 200 kg.



**Rubber foot mat.**

The rubber foot mats provide the Amarok interior with optimal protection. They are perfectly shaped to fit the vehicle and the anti-slip coating and the mounting system prevent the front foot mats from slipping or twisting.



**Rear window protection grille.**

The grille is mounted on the loading sill and prevents loose cargo from damaging the rear window.



**“Functional” Underride Guard.**

This particularly robust underride guard increases driving safety by offering protection for the fuel tank and gearbox to make the Amarok even more reliable during tough assignments.



**Tow coupling.**

With a trailing load of up to 2800 kg at 12% incline, it's as robust as the Amarok itself. As soon as it is connected, the 7 pin electrical plug activates the ESP trailer rig stabiliser.

# Paint finishes.

The Amaroks' paint finish is applied in several coats. The result is a scratch-resistant, tough upper layer. This keeps it looking as good as new, even in the toughest of environments.

The Amarok is available in the following colour options:



**Candy White**  
Solid paint  
B4B4



**Ontario Green**  
Solid paint  
V7V7



**Reflex Silver**  
Metallic paint  
8E8E



**Sand Beige**  
Metallic paint  
P8P8



**Starlight Blue**  
Metallic paint  
3S3S



**Natural Grey**  
Metallic paint  
M4M4



**Deep Black**  
Pearl effect paint  
2T2T



**Toffee Brown**  
Metallic paint  
4Q4Q

# Upholstery.


High-quality, robust material and expert workmanship are paramount when it comes to the manufacture of durable seat covers – and this is evident in the Amarok upholstery.

The following interior upholstery options are available:




**Endless Anthracite cloth**  
standard on Highline.

(trim code WB)



**Vienna Anthracite leather\*\*** optional on both Trendline and Highline

(trim code HV)



**Trail Anthracite cloth**  
standard on Trendline

(trim code HV)

\*\*Leather seat inserts and a combination of high quality, durable materials. The illustrations on these pages can only be regarded as a general guide as the printing process cannot render the paint finishes, decorations and upholstery with absolute accuracy.

# The Amarok Driving Academy.

The Amarok Driving Academy, situated within the Kyalami Grand Prix Circuit in Midrand, Gauteng, offers advanced driving courses available for the enjoyment of Amarok enthusiasts. Roadshows will take the Academy to other regions including the Western Cape, Kwa-Zulu Natal, Free State and Limpopo. Amarok enthusiasts can choose from three courses which offer various insights into vehicle dynamics and off-road theory, as well as opportunities to experience the Amarok and its unique off-road features and functions over different types of terrain and obstacles. The training courses are conducted in the Academy's fleet consisting of the 4Motion® Trendline Amaroks, with a discounted price afforded should customers bring their own Amarok.

For more information about the Amarok Driving Academy and courses, visit [vwcommercial.co.za](http://vwcommercial.co.za) or contact us at (011) 466 9127/9 or [info@vwda.co.za](mailto:info@vwda.co.za)



## SPECIFICATIONS

	Amarok 2.0 TSI 118kW Double Cab Trendline	Amarok 2.0 TSI 118kW Double Cab Highline	Amarok 2.0 TDI 103kW Double Cab Trendline	Amarok 2.0 TDI 4Motion® 103kW Double Cab Trendline	Amarok 2.0 BiTDI® 132kW Double Cab Highline	Amarok 2.0 BiTDI 4Motion® 132kW Double Cab Highline	Amarok 2.0 BiTDI 4Motion® Auto 132kW Double Cab Highline
<b>Engine</b>							
Capacity (cm³)	1984	1984	1968	1968	1968	1968	1968
Cylinders	4	4	4	4	4	4	4
Power output (kW @ r/min)	118 @ 3800 - 5500	118 @ 3800 - 5500	103 @ 3500	103 @ 3500	132 @ 4000	132 @ 4000	132 @ 4000
Torque (Nm @ r/min)	300 @ 1600 - 3750	300 @ 1600 - 3750	340 @ 1600 - 2250	340 @ 1600 - 2250	400 @ 1500 - 2250	400 @ 1500 - 2250	420 @ 1750
<b>Transmission</b>							
6-speed manual	X	X	X	X	X	X	-
8-speed automatic	-	-	-	-	-	-	X
<b>Performance</b>							
Acceleration in seconds (0 - 100km/h)	9.9	9.9	13.5	13.7	10.3	10.6	10.9
Top speed (km/h)	180	180	163	161	184	183	179
<b>Fuel Consumption (litres/100 km)*</b>							
Urban	12.7	12.7	9.4	9.5	9.7	9.8	10.1
Extra urban	7.9	7.9	6.7	6.8	7.0	6.9	7.3
Combined	9.6	9.6	7.6	7.7	7.9	8.0	8.3
CO <sub>2</sub> emission combined (g/km)	228	228	199	203	208	211	219
<b>Running gear / suspension</b>							
Single wheel suspension with A-frame arm, double wishbone and spring dampers, front	X	X	X	X	X	X	X
Multilayer rigid axle with leaf springs, rear	X	X	X	X	X	X	X
Front and rear stabilizers	X	X	X	X	X	X	X
Shiftable 4WD with low range gears	-	-	-	X	-	X	-
Permanent 4WD	-	-	-	-	-	-	X
<b>Brakes</b>							
Hydraulic braking system with ventilated disc brakes, front (16")	X	X	X	X	X	X	X
Drum brake system, rear 38,1cm (15")	X	X	X	X	X	X	X
ESP (Electronic Stability Programme) with brake assistant and Hill Start/Hill Descent Assist	O	X	O	O	X	X	X
ABS (Anti-Lock Braking system) incl. offroad ABS	X	X	X	X	X	X	X
TCS (Traction Control System)	X	X	X	X	X	X	X
EDL (Electronic Differential Lock)	X	X	X	X	X	X	X
EBD (Electronic Brake-force Distribution)	X	X	X	X	X	X	X
HVV (maximum rear axle deceleration)	X	X	X	X	X	X	X
MSR (engine drag torque control)	X	X	X	X	X	X	X
Mechanical locking differential, rear	X	X	X	X	X	X	X
<b>Wheels / Tyres</b>							
Alloy wheels - Taruma 16" with anti-theft wheelbolts	X	-	X	X	-	-	-
Tyres 245/70 R 16	X	-	X	X	-	-	-
Alloy wheels - Aldo 17" with anti-theft wheelbolts	O	X	O	O	X	X	X
Tyres 245/65 R 17	O	X	O	O	X	X	X
Sparewheel same size as road wheel	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy
<b>Dimensions / Capacities</b>							
Seats	5	5	5	5	5	5	5
Fuel tank (ℓ)	80	80	80	80	80	80	80
Length (mm)	5254	5254	5254	5254	5254	5254	5254
Height (mm)	1834	1834	1834	1834	1834	1834	1834
Width excl. mirrors (mm)	1944	1954	1944	1944	1954	1954	1954
Wheel base (mm)	3095	3095	3095	3095	3095	3095	3095
Turning circle (m)	12.95	12.95	12.95	12.95	12.95	12.95	12.95
Ground Clearance (mm) - measured between the front and rear axle	250	250	250	244	250	244	244
Ground Clearance (mm) - measured under the front axle	192	192	192	192	192	192	192
Load compartment length (mm)	1555	1555	1555	1555	1555	1555	1555
Load compartment width (mm)	1620	1620	1620	1620	1620	1620	1620
Load compartment width between wheelhouses (mm)	1222	1222	1222	1222	1222	1222	1222
Load compartment height (mm)	508	508	508	508	508	508	508
Loading sill height (mm)	780	780	780	780	780	780	780
Load compartment area (m²)	2.52	2.52	2.52	2.52	2.52	2.52	2.52
Gross Vehicle Mass (GVM) (kg)	2820	2820	2820	2820	2820	2820	2820
Gross Combined Mass (GCM) (kg)	5550	5550	5550	5550	5550	5550	5550
Axle load limit front / rear (kg)	1300 / 1620	1300 / 1620	1315 / 1620	1375 / 1620	1325 / 1620	1385 / 1620	1415 / 1620
Trailer weight braked, 12% gradient (kg)	2800	2800	2800	3000	2800	3000	3000

	Amarok 2.0 TSI 118kW Double Cab Trendline	Amarok 2.0 TSI 118kW Double Cab Highline	Amarok 2.0 TDI 103kW Double Cab Trendline	Amarok 2.0 TDI 4Motion® 103kW Double Cab Trendline	Amarok 2.0 BiTDI® 132kW Double Cab Highline	Amarok 2.0 BiTDI 4Motion® 132kW Double Cab Highline	Amarok 2.0 BiTDI 4Motion® Auto 132kW Double Cab Highline
<b>Dimensions / Capacities continued:</b>							
Payload without driver (kg)	966	966	943	881	923	849	845
Unladen mass without driver (kg)	1754	1754	1777	1839	1797	1871	1875
Axle unladen mass front / rear (kg)	1020 / 895	1033 / 906	1033 / 901	1105 / 909	1066 / 912	1137 / 920	1142 / 923
Roof load limit (kg)	100	100	100	100	100	100	100
Trailer nose weight (kg)	120	120	120	120	120	120	120
Approach / Departure angle (°)	28 / 23.6	28 / 23.6	28 / 23.6	28 / 23.6	28 / 23.6	28 / 23.6	28 / 23.6
Ramp angle (°)	23	23	23	21.4	23	21.4	21.4
Roll over angle (°)	50	50	50	50	50	50	50
Wading depth (mm)	500	500	500	500	500	500	500
<b>Safety</b>							
Driver and front passenger airbag	X	X	X	X	X	X	X
Front passenger airbag deactivation	X	X	X	X	X	X	X
Front head/thorax side airbags	O	X	O	O	X	X	X
High level third brake light with load compartment lighting	X	X	X	X	X	X	X
3-point automatic seatbelts	2 front and 2 rear	2 front and 3 rear	2 front and 2 rear	2 front and 2 rear	2 front and 3 rear	2 front and 3 rear	2 front and 3 rear
Height adjustable seatbelts	Front	Front	Front	Front	Front	Front	Front
Warning buzzer and light for driver seat belt not fastened	O	X	O	O	X	X	X
Anchorage points (2) for ISOFIX child-seat attachment on rear 3-seater bench	O	X	O	O	X	X	X
Daytime running lights	X	X	X	X	X	X	X
First aid kit and warning triangle	X	X	X	X	X	X	X
<b>Security</b>							
Immobiliser	X	X	X	X	X	X	X
Remote controlled central locking	X	X	X	X	X	X	X
Anti-theft alarm system with passenger compartment control, backup horn and towing protection	X	X	X	X	X	X	X
Steering lock unbreakable	X	X	X	X	X	X	X
Lockable glove box	X	X	X	X	X	X	X
Lockable tailgate	X	X	X	X	X	X	X
<b>Seats</b>							
Height-adjustable head restraints	2 front and 2 rear	2 front and 3 rear	2 front and 2 rear	2 front and 2 rear	2 front and 3 rear	2 front and 3 rear	2 front and 3 rear
Height adjustable front seats	X	X	X	X	X	X	X
Folding 3-seater rear bench seat	X	X	X	X	X	X	X
Fabric seat coverings "Trail"	X	-	X	X	-	-	-
Fabric seat coverings "Endless"	-	X	-	-	X	X	X
Storage drawers under front seats	X	X	X	X	X	X	X
<b>Wiper system</b>							
2-speed intermittent wipers	X	X	X	X	X	X	X
<b>Interior Features</b>							
Bluetooth cellphone prep	O	X	O	O	X	X	X
Aux in	X	X	X	X	X	X	X
Radio/CD "RCD 210" (MP3 capable) with 4 speaker system	X	-	X	X	-	-	-
Radio/CD "RCD 310" (MP3 capable) with 6 speaker system	O	X	O	O	X	X	X
Antenna integrated in exterior mirrors	X	X	X	X	X	X	X
Climatic air-conditioning system (semi-automatic)	X	-	X	X	-	-	-
Climatronic 2-zone air-conditioning system (fully-automatic)	-	X	-	-	X	X	X
Power-steering	X	X	X	X	X	X	X
Multifunction leather steering wheel with silver inserts	O	X	O	O	X	X	X
Leather handbrake and gearshift lever	O	X	O	O	X	X	X
Multi-function onboard computer (MFA)	X	X	X	X	X	X	X
Electrically adjustable windows - front and rear	X	X	X	X	X	X	X
Electrically adjustable and heated exterior mirrors	X	X	X	X	X	X	X
Carpet floor covering for cab and in passenger compartment	X	X	X	X	X	X	X
Anti dazzle rear view mirror	X	X	X	X	X	X	X
Sunvisor with make up mirror	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger
Dimmable dashboard illumination	-	X	-	-	X	X	X
Centre console storage box with upholstered cover (armrest)	X	X	X	X	X	X	X
Doors with stowage pockets each and integrated bottle holders	X	X	X	X	X	X	X
Cup holders front (2) and rear (2)	X	X	X	X	X	X	X

	Amarok 2.0 TSI 118kW Double Cab Trendline	Amarok 2.0 TSI 118kW Double Cab Highline	Amarok 2.0 TDI 103kW Double Cab Trendline	Amarok 2.0 TDI 4Motion® 103kW Double Cab Trendline	Amarok 2.0 BiTDI® 132kW Double Cab Highline	Amarok 2.0 BiTDI 4Motion® 132kW Double Cab Highline	Amarok 2.0 BiTDI 4Motion® Auto 132kW Double Cab Highline
<b>Interior Features continued:</b>							
Spectacle storage compartment	X	X	X	X	X	X	X
Smoking package	X	X	X	X	X	X	X
Interior lights	X	X	X	X	X	X	X
Front reading lights	X	X	X	X	X	X	X
Height and depth adjustable steering wheel	X	X	X	X	X	X	X
Headlight-range adjustment	X	X	X	X	X	X	X
Cruise Control	X	X	X	X	X	X	X
12-V socket in centre console, dashboard and load box	X	X	X	X	X	X	X
<b>Exterior Features</b>							
Electrically foldable and heated exterior mirrors	O	X	O	O	X	X	X
Foglights - front	X	X	X	X	X	X	X
Rear fog lights	X	X	X	X	X	X	X
Additional engine and transmission guard	X	X	X	X	X	X	X
Chrome in upper radiator grille	X	X	X	X	X	X	X
Exterior mirrors body colour	X	-	X	X	-	-	-
Front bumper in body colour	X	-	X	X	-	-	-
Exterior mirrors body colour with chrome applications	-	X	-	-	X	X	X
Front bumper in body colour with chrome applications	-	X	-	-	X	X	X
Rear bumper with integrated step, black	X	-	X	X	-	-	-
Rear bumper with integrated step, chrome-plated	-	X	-	-	X	X	X
Flared wheel arches	O	X	O	O	X	X	X
Front and rear mudflaps	X	X	X	X	X	X	X
B-column covered with black film	-	X	-	-	X	X	X
Lashing points (4) in loadbox for load restraint	X	X	X	X	X	X	X
Trailer hitch preparation	X	X	X	X	X	X	X
<b>Glass</b>							
Heat-insulating glass all round	X	X	X	X	X	X	X
Heated rear window	X	X	X	X	X	X	X
Privacy glass in rear seat area	-	X	-	-	X	X	X
<b>Options</b>							
Electric interface for external use	O	O	O	O	O	O	O
ESP (electronic stability programme) with brake assistant and Hill Start/Hill Descent Assist	O	X	O	O	X	X	X
Vienna" leather seat coverings as well as leather steering wheel, handbrake and gearshift lever**	O	-	O	O	-	-	-
Leather seat coverings "Vienna"***	-	O	-	-	O	O	O
17" "Aldo" Alloy wheels (incl. flared wheel arches on Trendline models)	O	X	O	O	X	X	X
18" "Durban" Alloy wheels (incl. flared wheel arches on Trendline models)	O	O	O	O	O	O	O
19" "Cantera" Alloy wheels (incl. flared wheel arches on Trendline models)	O	O	O	O	O	O	O
Increased GVM from 2.8t to 3.0t (incl. heavy duty leaf springs)	O	O	O	O	O	O	O
Radio/CD "RCD 310" (MP3 capable) with 6 speaker system	O	X	O	O	X	X	X
Communications package incl. Multifunction leather steering wheel + Bluetooth cellphone prep	O	X	O	O	X	X	X
Safety package incl. Front side airbags & rear head-rests and 3-point seatbelt& re-inforced front seats & Isofix & Driver seatbelt reminder	O	X	O	O	X	X	X
Park distance control, front and rear	O	O	O	O	O	O	O
Metallic paint	O	O	O	O	O	O	O
Rubber floor covering for cab and in passenger compartment	O	O	O	O	O	O	O
<b>Guarantees</b>							
3-year/100 000 km manufacturer warranty	X	X	X	X	X	X	X
5-year/90 000 km service plan	X	X	X	X	X	X	X
15 000 km service intervals	X	X	X	X	X	X	X
6-year anti-corrosion warranty	X	X	X	X	X	X	X

X = Standard, - = Not available, O = Optional

All features and options subject to change without notice. ESP includes trailer stabilisation when combined with VW Genuine 7-pin Electrical Kit.

\*\*Leather seat inserts and a combination of high quality, durable materials.

**\*Fuel Consumption and Carbon Dioxide Emission Figures**

The figures reflected were obtained in accordance with prescribed uniform measuring standards (SANS 2010: 2006 / ECE R101: 2005 in their currently applicable versions) under laboratory type conditions. The measuring standards are stipulated by law. They do not apply to a specific vehicle and are provided to enable comparison between different vehicle models tested using the same uniform measuring standard. The values are accordingly not necessarily representative of real-life driving conditions. Factors such as driving style, vehicle load, road conditions, tyre size, traffic and ambient conditions may result in different fuel consumption and carbon dioxide emission levels to those achieved under the test parameters referred to above. More details are contained in the owner's manual.



